



REYNASILVER

Full Assay Results and Associated Figures, 2023 Medicine Springs Drill Program

The 1,335.6 metre program consisted of 4 diamond core holes. MS23-05 (439.06 m) and MS23-006 (438.45 m) were drilled in the Silver King area. MS23-07 (383.13 m) and MS23-08 (75 m) were drilled in the Golden Pipe area.




Figure 1. Map of the 6,561 ha project claim package with drill holes from the 2023 campaign in black (MS23-005, MS23-006, MS23-007, MS23-008) and drill holes from 2022 in grey (MS22-001, MS22-002, MS22-003, and MS23-004). The arcs denote the general zoning of Ag, Pb-Zn, and Cu respectively, from the 2021 selective Jasperoid sampling program. The dashed line shows the boundary of alluvium cover. The purple box denotes the 660 metre by 1.75 kilometre reconnaissance drilling area; 7 out of the 9 structures intersected silver mineralization.

Table 1: Principal Intercept Table

| Hole | From (m) | To (m) | Length*(m) | Zinc % | Lead % | Silver (g/t) |
|------------------|----------|--------|--------------|-------------|-------------|--------------|
| MS23-008 | 37.47 | 57.49 | 20.02 | 1.72 | 0.81 | 33 |
| <i>including</i> | 5.36 | 17.22 | 11.86 | 4.99 | 0.64 | 64 |
| <i>including</i> | 14.02 | 15.34 | 1.32 | 11.9 | 3.4 | 330 |
| <i>including</i> | 43.28 | 49.05 | 5.77 | 3.31 | 1.18 | 60 |
| <i>including</i> | 46.55 | 46.88 | 0.33 | 1.88 | 2.07 | 391 |
| MS23-007 | 1.75 | 58.52 | 56.77 | 0.99 | 0.36 | 24 |
| <i>including</i> | 13.97 | 15.51 | 1.54 | 3.5 | 2.19 | 304 |
| <i>including</i> | 13.97 | 14.48 | 0.51 | 5.85 | 3.14 | 446 |
| <i>including</i> | 15.3 | 15.51 | 0.21 | 6.91 | 3.52 | 781 |
| <i>including</i> | 48.92 | 49.84 | 0.92 | 6.58 | 2.64 | 163 |
| MS23-006 | 83.52 | 85.87 | 2.35 | NSV | 0.22 | 217 |
| <i>including</i> | 83.7 | 84.32 | 0.62 | NSV | 0.21 | 469 |
| <i>including</i> | 84.09 | 84.32 | 0.23 | NSV | 0.22 | 966 |

*Core length in the hole, true thickness not yet determined. The average recovery was 89-95%.

SILVER KING TARGET HOLES

Holes MS23-005 and MS23-006 targeted high-grade jasperoids developed on a structural intersection. There are a few minor workings in the area, and one of the highest silver grade jasperoids discovered during the Jasperoid Selective Sampling Program (See Press Release from [January 10, 2022](#)). Holes were designed to determine where the mineralization originated and identify the dominant controlling structure.

Golden Pipe Target Holes

The Golden Pipe Target Area surrounds the historic Golden Pipe Mine, and was the focus area for a company over 30 years ago looking at shallow mineralization. Both MS23-007 and MS23-008 aimed to identify the structural orientation, feeders to it and characteristics of mineralization in this area, and extent relative to Hole MS22-001. Drilling in all holes has intersected broadly dispersed Ag, Pb, and Zn mineralization with intermittent structures carrying high-grade silver mineralization.

MS23-007

Table 2: Principal Mineralization Intervals in MS23-007

| Hole | From (m) | To (m) | Length* (m) | Zinc (%) | Lead (%) | Silver (g/t) |
|------------------|----------|--------|--------------|-------------|----------|--------------|
| MS23-007 | 1.75 | 58.52 | 56.77 | 0.99 | 0.36 | 24 |
| <i>including</i> | 1.75 | 20.46 | 18.71 | 2.17 | 0.66 | 59 |
| <i>including</i> | 1.75 | 3.09 | 1.34 | 0.38 | 2.17 | 158 |
| <i>including</i> | 13.97 | 15.51 | 1.54 | 3.50 | 2.19 | 304 |
| <i>including</i> | 13.97 | 14.48 | 0.51 | 5.85 | 3.14 | 446 |
| <i>including</i> | 15.3 | 15.51 | 0.21 | 6.91 | 3.52 | 781 |
| <i>including</i> | 48.92 | 49.84 | 0.92 | 6.58 | 2.64 | 163 |

*Core length in the hole, true thickness not yet determined. The average recovery was 95%.




Figure 2: Long section of the Ag, Pb and Zinc grades in Hole MS23-007. Silver is shown in blue and ranges up to 300-781 g/t Ag. Lead is shown in grey and ranges up to 3-5.2%. Zinc is shown in green and ranges up to 3-19%. The entire hole was 383.13 metres long, this figure focuses on the top 75 metres.

MS23-008

Table 3. Principal Mineralization Intervals in MS23-008

| Hole | From (m) | To (m) | Length (m) | Zinc (%) | Lead (%) | Silver (g/t) |
|-----------|----------|--------|--------------|-------------|-------------|--------------|
| MS23-008 | 5.36 | 17.22 | 11.86 | 4.99 | 0.63 | 63 |
| including | 12.5 | 17.22 | 4.72 | 6.73 | 1.16 | 115 |
| including | 14.02 | 15.34 | 1.32 | 11.9 | 3.40 | 330 |
| MS23-008 | 37.47 | 57.49 | 20.02 | 2.19 | 0.83 | 35 |
| including | 43.28 | 49.05 | 5.77 | 4.22 | 1.16 | 61 |
| including | 46.55 | 46.88 | 0.33 | 1.88 | 2.07 | 391 |

*Core length in the hole, true thickness not yet determined. The average recovery was 89%.




Figure 2: Long section of the Ag, Pb and Zinc grades in Hole MS23-008. Silver is shown in blue and ranges up to 300-781 g/t Ag. Lead is shown in grey and ranges up to 3-5.2%. Zinc is shown in green and ranges up to 3-19%. The entire 75-metre hole is shown in the above figure.

Full Silver, Lead, and Zinc Results for 2023 Medicine Springs Drill Program

Note: Core length in the hole, true thickness not yet determined. The average recovery was 80-95%.

| Hole number | From (m) | To (m) | Length (m) | Ag (ppm) | Pb (ppm) | Zn (ppm) |
|-------------|----------|--------|------------|----------|----------|----------|
| MS23-005 | 3.26 | 3.83 | 0.57 | 6.00 | 1120 | 3040 |
| MS23-005 | 3.83 | 5.26 | 1.43 | 0.68 | 1535 | 400 |
| MS23-005 | 5.26 | 7.06 | 1.8 | 0.61 | 1360 | 637 |
| MS23-005 | 7.06 | 8.48 | 1.42 | 0.93 | 956 | 778 |
| MS23-005 | 8.48 | 10.07 | 1.59 | 1.41 | 1340 | 655 |
| MS23-005 | 10.07 | 11.16 | 1.09 | 1.01 | 1245 | 610 |
| MS23-005 | 11.16 | 12.75 | 1.59 | 1.40 | 577 | 244 |
| MS23-005 | 12.75 | 14.94 | 2.19 | 1.00 | 525 | 186 |
| MS23-005 | 14.94 | 16.46 | 1.52 | 1.23 | 375 | 162 |
| MS23-005 | 16.46 | 18.9 | 2.44 | 1.39 | 297 | 145 |
| MS23-005 | 18.9 | 20.26 | 1.36 | 0.71 | 290 | 154 |
| MS23-005 | 20.26 | 21.64 | 1.38 | 0.61 | 286 | 91 |
| MS23-005 | 21.64 | 23.01 | 1.37 | 0.55 | 370 | 155 |
| MS23-005 | 23.01 | 24.38 | 1.37 | 0.90 | 239 | 90 |
| MS23-005 | 24.38 | 25.76 | 1.38 | 0.33 | 138.5 | 59 |
| MS23-005 | 25.76 | 27.28 | 1.52 | 0.31 | 139.5 | 53 |
| MS23-005 | 27.28 | 29.57 | 2.29 | 0.39 | 775 | 102 |
| MS23-005 | 29.57 | 31.29 | 1.72 | 0.76 | 494 | 146 |
| MS23-005 | 31.29 | 32.36 | 1.07 | 0.96 | 893 | 198 |
| MS23-005 | 32.36 | 33.99 | 1.63 | 0.58 | 469 | 161 |
| MS23-005 | 33.99 | 37.03 | 3.04 | 0.95 | 624 | 224 |
| MS23-005 | 37.03 | 38.05 | 1.02 | 1.86 | 772 | 461 |
| MS23-005 | 38.05 | 38.54 | 0.49 | 1.72 | 389 | 438 |
| MS23-005 | 38.54 | 39.93 | 1.39 | 1.76 | 350 | 307 |
| MS23-005 | 39.93 | 41.45 | 1.52 | 1.64 | 437 | 344 |
| MS23-005 | 41.45 | 42.37 | 0.92 | 2.02 | 388 | 295 |
| MS23-005 | 42.37 | 42.98 | 0.61 | 1.52 | 364 | 271 |
| MS23-005 | 42.98 | 44.03 | 1.05 | 1.44 | 781 | 549 |
| MS23-005 | 44.03 | 45 | 0.97 | 1.22 | 331 | 325 |
| MS23-005 | 45 | 45.95 | 0.95 | 1.64 | 1700 | 999 |
| MS23-005 | 45.95 | 46.58 | 0.63 | 0.78 | 679 | 344 |
| MS23-005 | 46.58 | 47.24 | 0.66 | 0.88 | 947 | 258 |
| MS23-005 | 47.24 | 49.38 | 2.14 | 0.68 | 654 | 323 |
| MS23-005 | 49.38 | 51.51 | 2.13 | 0.56 | 728 | 360 |
| MS23-005 | 51.51 | 52.27 | 0.76 | 0.76 | 865 | 346 |
| MS23-005 | 52.27 | 53.39 | 1.12 | 2.13 | 1195 | 517 |
| MS23-005 | 53.39 | 54.9 | 1.51 | 7.16 | 3110 | 473 |
| MS23-005 | 54.9 | 56.78 | 1.88 | 4.42 | 662 | 261 |
| MS23-005 | 56.78 | 58.52 | 1.74 | 2.10 | 477 | 160 |
| MS23-005 | 58.52 | 60.05 | 1.53 | 1.64 | 559 | 311 |

| Hole number | From (m) | To (m) | Length (m) | Ag (ppm) | Pb (ppm) | Zn (ppm) |
|-------------|----------|--------|------------|----------|----------|----------|
| MS23-005 | 60.05 | 62.89 | 2.84 | 2.13 | 757 | 380 |
| MS23-005 | 62.89 | 64.89 | 2 | 2.17 | 779 | 431 |
| MS23-005 | 64.89 | 66.14 | 1.25 | 4.28 | 549 | 248 |
| MS23-005 | 66.14 | 67.77 | 1.63 | 5.44 | 908 | 427 |
| MS23-005 | 67.77 | 68.9 | 1.13 | 10.85 | 4340 | 405 |
| MS23-005 | 68.9 | 69.58 | 0.68 | 5.14 | 1925 | 576 |
| MS23-005 | 69.58 | 70.12 | 0.54 | 7.11 | 2480 | 587 |
| MS23-005 | 70.12 | 70.53 | 0.41 | 10.60 | 9740 | 1875 |
| MS23-005 | 70.53 | 71.13 | 0.6 | 20.50 | 5020 | 1155 |
| MS23-005 | 71.13 | 71.63 | 0.5 | 3.71 | 1115 | 265 |
| MS23-005 | 71.63 | 72.27 | 0.64 | 1.84 | 610 | 219 |
| MS23-005 | 72.27 | 73.81 | 1.54 | 4.38 | 907 | 414 |
| MS23-005 | 73.81 | 75.3 | 1.49 | 10.15 | 2420 | 753 |
| MS23-005 | 75.3 | 75.95 | 0.65 | 5.34 | 2560 | 1095 |
| MS23-005 | 75.95 | 76.5 | 0.55 | 5.96 | 2950 | 1185 |
| MS23-005 | 76.5 | 78.18 | 1.68 | 12.90 | 3430 | 587 |
| MS23-005 | 78.18 | 79.25 | 1.07 | 9.53 | 1625 | 359 |
| MS23-005 | 79.25 | 80.43 | 1.18 | 9.94 | 4010 | 522 |
| MS23-005 | 80.43 | 81.72 | 1.29 | 3.25 | 1010 | 262 |
| MS23-005 | 81.72 | 83 | 1.28 | 1.33 | 878 | 249 |
| MS23-005 | 83 | 84.61 | 1.61 | 1.21 | 1040 | 200 |
| MS23-005 | 84.61 | 87 | 2.39 | 0.69 | 1055 | 293 |
| MS23-005 | 87 | 89.82 | 2.82 | 1.61 | 1870 | 641 |
| MS23-005 | 89.82 | 90.71 | 0.89 | 4.09 | 3930 | 633 |
| MS23-005 | 90.71 | 92.79 | 2.08 | 1.89 | 3090 | 802 |
| MS23-005 | 92.79 | 94.78 | 1.99 | 1.32 | 2680 | 919 |
| MS23-005 | 94.78 | 96.01 | 1.23 | 2.52 | 2980 | 504 |
| MS23-005 | 96.01 | 98.15 | 2.14 | 1.29 | 1435 | 379 |
| MS23-005 | 98.15 | 98.65 | 0.5 | 4.60 | 5020 | 960 |
| MS23-005 | 98.65 | 99.67 | 1.02 | 10.55 | 322 | 591 |
| MS23-005 | 99.67 | 101.19 | 1.52 | 3.60 | 30.4 | 655 |
| MS23-005 | 101.19 | 102.86 | 1.67 | 1.65 | 31.1 | 539 |
| MS23-005 | 102.86 | 104.1 | 1.24 | 1.62 | 121 | 830 |
| MS23-005 | 104.1 | 104.86 | 0.76 | 1.54 | 191 | 708 |
| MS23-005 | 104.86 | 105.04 | 0.18 | 5.93 | 473 | 852 |
| MS23-005 | 105.04 | 105.29 | 0.25 | 5.28 | 510 | 474 |
| MS23-005 | 105.29 | 105.77 | 0.48 | 4.20 | 78.9 | 416 |
| MS23-005 | 105.77 | 106.14 | 0.37 | 6.22 | 135 | 412 |
| MS23-005 | 106.14 | 106.65 | 0.51 | 5.66 | 14.3 | 381 |
| MS23-005 | 106.65 | 107.31 | 0.66 | 9.86 | 74.3 | 350 |

| Hole number | From (m) | To (m) | Length (m) | Ag (ppm) | Pb (ppm) | Zn (ppm) |
|-------------|----------|--------|------------|----------|----------|----------|
| MS23-005 | 107.31 | 108.28 | 0.97 | 10.40 | 26.6 | 365 |
| MS23-005 | 108.28 | 109.32 | 1.04 | 4.99 | 70.3 | 269 |
| MS23-005 | 109.32 | 110.37 | 1.05 | 8.27 | 105 | 455 |
| MS23-005 | 110.37 | 110.87 | 0.5 | 9.82 | 38.5 | 429 |
| MS23-005 | 110.87 | 111.86 | 0.99 | 40.10 | 226 | 657 |
| MS23-005 | 114.3 | 115.52 | 1.22 | 21.90 | 71.7 | 468 |
| MS23-005 | 115.52 | 116.35 | 0.83 | 24.10 | 340 | 890 |
| MS23-005 | 116.35 | 117.96 | 1.61 | 5.78 | 180 | 703 |
| MS23-005 | 117.96 | 118.93 | 0.97 | 9.29 | 86.5 | 754 |
| MS23-005 | 118.93 | 119.52 | 0.59 | 7.52 | 269 | 634 |
| MS23-005 | 119.52 | 120.4 | 0.88 | 5.00 | 33.4 | 563 |
| MS23-005 | 120.4 | 121.46 | 1.06 | 3.64 | 69.9 | 331 |
| MS23-005 | 121.46 | 122.3 | 0.84 | 3.52 | 81.3 | 350 |
| MS23-005 | 122.3 | 123.75 | 1.45 | 4.40 | 189 | 239 |
| MS23-005 | 123.75 | 125.88 | 2.13 | 3.10 | 111.5 | 238 |
| MS23-005 | 125.88 | 127.41 | 1.53 | 4.39 | 49.2 | 247 |
| MS23-005 | 127.41 | 130.45 | 3.04 | 20.90 | 129 | 198 |
| MS23-005 | 130.45 | 132.59 | 2.14 | 8.07 | 103 | 126 |
| MS23-005 | 132.59 | 134.03 | 1.44 | 11.20 | 29.9 | 88 |
| MS23-005 | 134.03 | 135.79 | 1.76 | 18.25 | 439 | 95 |
| MS23-005 | 135.79 | 136.86 | 1.07 | 51.90 | 35.2 | 68 |
| MS23-005 | 136.86 | 138.07 | 1.21 | 47.30 | 27.5 | 97 |
| MS23-005 | 138.07 | 138.8 | 0.73 | 22.20 | 29.5 | 83 |
| MS23-005 | 138.8 | 139.2 | 0.4 | 19.75 | 14.4 | 81 |
| MS23-005 | 139.2 | 139.95 | 0.75 | 9.72 | 22.1 | 65 |
| MS23-005 | 139.95 | 140.67 | 0.72 | 39.10 | 32.3 | 110 |
| MS23-005 | 140.67 | 142.04 | 1.37 | 17.20 | 85.2 | 242 |
| MS23-005 | 142.04 | 143.26 | 1.22 | 6.29 | 314 | 285 |
| MS23-005 | 143.26 | 144.12 | 0.86 | 6.43 | 157.5 | 163 |
| MS23-005 | 144.12 | 144.9 | 0.78 | 6.94 | 136.5 | 171 |
| MS23-005 | 144.9 | 145.38 | 0.48 | 3.44 | 197.5 | 163 |
| MS23-005 | 145.38 | 145.99 | 0.61 | 3.54 | 169.5 | 174 |
| MS23-005 | 145.99 | 147.45 | 1.46 | 1.45 | 203 | 203 |
| MS23-005 | 147.45 | 148.27 | 0.82 | 1.13 | 180 | 179 |
| MS23-005 | 148.27 | 149.96 | 1.69 | 0.91 | 337 | 198 |
| MS23-005 | 149.96 | 151.55 | 1.59 | 0.94 | 233 | 135 |
| MS23-005 | 151.55 | 152.53 | 0.98 | 1.36 | 107 | 161 |
| MS23-005 | 152.53 | 152.95 | 0.42 | 2.10 | 13.9 | 148 |
| MS23-005 | 152.95 | 154.14 | 1.19 | 1.08 | 8.9 | 59 |
| MS23-005 | 154.14 | 154.99 | 0.85 | 3.75 | 158 | 362 |

| Hole number | From (m) | To (m) | Length (m) | Ag (ppm) | Pb (ppm) | Zn (ppm) |
|-------------|----------|--------|------------|----------|----------|----------|
| MS23-005 | 154.99 | 156.05 | 1.06 | 2.66 | 4.1 | 131 |
| MS23-005 | 156.05 | 157.58 | 1.53 | 2.75 | 6.6 | 143 |
| MS23-005 | 157.58 | 159.26 | 1.68 | 2.64 | 96.5 | 204 |
| MS23-005 | 159.26 | 161.15 | 1.89 | 3.09 | 31.8 | 169 |
| MS23-005 | 161.15 | 162.92 | 1.77 | 3.18 | 23.7 | 255 |
| MS23-005 | 162.92 | 165.05 | 2.13 | 2.43 | 54.6 | 196 |
| MS23-005 | 165.05 | 166.35 | 1.3 | 3.16 | 25.3 | 235 |
| MS23-005 | 166.35 | 167.43 | 1.08 | 3.22 | 61 | 348 |
| MS23-005 | 167.43 | 168.25 | 0.82 | 3.61 | 41.4 | 301 |
| MS23-005 | 168.25 | 169.16 | 0.91 | 3.91 | 13 | 218 |
| MS23-005 | 169.16 | 171.04 | 1.88 | 4.06 | 16.2 | 173 |
| MS23-005 | 171.04 | 172.52 | 1.48 | 3.60 | 29.8 | 191 |
| MS23-005 | 172.52 | 175.56 | 3.04 | 3.13 | 17.5 | 170 |
| MS23-005 | 175.56 | 178.27 | 2.71 | 4.01 | 67.8 | 257 |
| MS23-005 | 178.27 | 179.34 | 1.07 | 2.47 | 477 | 667 |
| MS23-005 | 179.34 | 181.75 | 2.41 | 3.46 | 295 | 481 |
| MS23-005 | 181.75 | 182.6 | 0.85 | 3.55 | 395 | 563 |
| MS23-005 | 182.6 | 183.15 | 0.55 | 3.54 | 592 | 586 |
| MS23-005 | 183.15 | 185.01 | 1.86 | 8.44 | 351 | 983 |
| MS23-005 | 185.01 | 186.54 | 1.53 | 4.21 | 497 | 398 |
| MS23-005 | 186.54 | 188.06 | 1.52 | 4.56 | 223 | 335 |
| MS23-005 | 188.06 | 189.59 | 1.53 | 2.16 | 475 | 433 |
| MS23-005 | 189.59 | 191.02 | 1.43 | 2.67 | 386 | 293 |
| MS23-005 | 191.02 | 193.24 | 2.22 | 2.03 | 447 | 273 |
| MS23-005 | 193.24 | 194.14 | 0.9 | 1.67 | 110 | 139 |
| MS23-005 | 194.14 | 196 | 1.86 | 0.90 | 50.9 | 113 |
| MS23-005 | 196 | 198 | 2 | 0.77 | 41.2 | 60 |
| MS23-005 | 198 | 200 | 2 | 2.04 | 254 | 146 |
| MS23-005 | 200 | 201.38 | 1.38 | 4.21 | 296 | 194 |
| MS23-005 | 201.38 | 203.3 | 1.92 | 2.76 | 195 | 147 |
| MS23-005 | 203.3 | 205.26 | 1.96 | 2.76 | 185 | 186 |
| MS23-005 | 205.26 | 208.49 | 3.23 | 3.84 | 251 | 168 |
| MS23-005 | 208.49 | 209.43 | 0.94 | 2.00 | 130.5 | 169 |
| MS23-005 | 209.43 | 211.31 | 1.88 | 1.80 | 317 | 283 |
| MS23-005 | 211.31 | 212.51 | 1.2 | 0.92 | 78.8 | 103 |
| MS23-005 | 212.51 | 213.06 | 0.55 | 3.77 | 12.1 | 115 |
| MS23-005 | 213.06 | 215.49 | 2.43 | 0.45 | 8.2 | 34 |
| MS23-005 | 215.49 | 216.95 | 1.46 | 0.22 | 8.9 | 5 |
| MS23-005 | 216.95 | 218.68 | 1.73 | 0.27 | 10.3 | 3 |
| MS23-005 | 218.68 | 220.72 | 2.04 | 0.73 | 14.3 | 7 |

| Hole number | From (m) | To (m) | Length (m) | Ag (ppm) | Pb (ppm) | Zn (ppm) |
|-------------|----------|--------|------------|----------|----------|----------|
| MS23-005 | 220.72 | 223.11 | 2.39 | 0.03 | 15.4 | 3 |
| MS23-005 | 223.11 | 223.91 | 0.8 | 0.02 | 16.4 | 3 |
| MS23-005 | 223.91 | 224.24 | 0.33 | 0.05 | 23.9 | 14 |
| MS23-005 | 224.24 | 225 | 0.76 | 0.04 | 20.8 | 7 |
| MS23-005 | 225 | 226.74 | 1.74 | 0.02 | 16.2 | 4 |
| MS23-005 | 226.74 | 228 | 1.26 | 0.36 | 13.1 | 118 |
| MS23-005 | 228 | 229.85 | 1.85 | 0.21 | 4.5 | 61 |
| MS23-005 | 229.85 | 232.26 | 2.41 | 0.12 | 4 | 3 |
| MS23-005 | 232.26 | 239.5 | 7.24 | | | |
| MS23-005 | 239.5 | 240.49 | 0.99 | 0.42 | 9.3 | 2 |
| MS23-005 | 243.22 | 246.13 | 2.91 | 0.28 | 9.7 | 2 |
| MS23-005 | 258.17 | 259.69 | 1.52 | 0.45 | 7.8 | 4 |
| MS23-005 | 259.69 | 261.21 | 1.52 | 0.20 | 4.8 | 2 |
| MS23-005 | 261.21 | 262.74 | 1.53 | 0.11 | 4 | 2 |
| MS23-005 | 293.98 | 295.5 | 1.52 | 0.32 | 2 | 4 |
| MS23-005 | 295.5 | 298.4 | 2.9 | 0.34 | 4.1 | 53 |
| MS23-005 | 298.4 | 301.45 | 3.05 | 0.52 | 4.5 | 17 |
| MS23-005 | 315.86 | 318.04 | 2.18 | 0.46 | 1.5 | 7 |
| MS23-005 | 318.04 | 320.65 | 2.61 | 2.85 | 3.4 | 6 |
| MS23-005 | 320.65 | 322.17 | 1.52 | 0.53 | 1.6 | 5 |
| MS23-005 | 322.17 | 324.69 | 2.52 | 13.95 | 17 | 7 |
| MS23-005 | 342.9 | 344.42 | 1.52 | 2.59 | 2.9 | 7 |
| MS23-005 | 344.42 | 345.95 | 1.53 | 16.80 | 18.4 | 16 |
| MS23-005 | 345.95 | 347.89 | 1.94 | 38.40 | 7.8 | 9 |
| MS23-005 | 347.89 | 350.1 | 2.21 | 24.70 | 3.7 | 7 |
| MS23-005 | 360.89 | 363.32 | 2.43 | 1.13 | 7.4 | 4 |
| MS23-005 | 363.32 | 364.85 | 1.53 | 0.58 | 7.2 | 12 |
| MS23-005 | 364.85 | 366.37 | 1.52 | 0.43 | 7.6 | 5 |
| MS23-005 | 366.37 | 367.89 | 1.52 | 0.21 | 6.7 | 13 |
| MS23-005 | 367.89 | 369.42 | 1.53 | 0.24 | 7.1 | 19 |
| MS23-005 | 381 | 381.44 | 0.44 | 0.10 | 1.5 | 6 |
| MS23-005 | 381.44 | 381.77 | 0.33 | 0.51 | 20.5 | 3 |
| MS23-005 | 381.77 | 382.08 | 0.31 | 0.09 | 1.8 | 18 |
| MS23-005 | 400.42 | 400.81 | 0.39 | 0.60 | 3.1 | 14 |
| MS23-005 | 400.81 | 402.18 | 1.37 | 0.31 | 2.4 | 17 |
| MS23-005 | 406.44 | 407 | 0.56 | 1.01 | 6.1 | 8 |
| MS23-005 | 410.26 | 411.18 | 0.92 | 1.56 | 18 | 6 |
| MS23-005 | 411.18 | 411.76 | 0.58 | 2.31 | 31.9 | 3 |
| MS23-005 | 411.76 | 413.61 | 1.85 | 2.19 | 29.2 | 12 |
| MS23-005 | 414.83 | 415.14 | 0.31 | 2.21 | 29.7 | 12 |

| Hole number | From (m) | To (m) | Length (m) | Ag (ppm) | Pb (ppm) | Zn (ppm) |
|-------------|----------|--------|------------|----------|----------|----------|
| MS23-005 | 415.14 | 416.36 | 1.22 | 1.72 | 22.8 | 17 |
| MS23-005 | 416.36 | 417.73 | 1.37 | 0.17 | 1.4 | 11 |
| MS23-005 | 423.42 | 423.7 | 0.28 | 0.12 | 1.7 | 8 |
| MS23-005 | 434.75 | 434.99 | 0.24 | 1.58 | 6 | 11 |
| MS23-005 | 434.99 | 435.71 | 0.72 | 3.90 | 33.6 | 5 |
| MS23-005 | 435.71 | 436.47 | 0.76 | 0.07 | 1.6 | 7 |
| MS23-005 | 436.47 | 436.74 | 0.27 | 0.78 | 11.4 | 4 |
| MS23-005 | 436.74 | 437.21 | 0.47 | 0.49 | 10.6 | 2 |
| MS23-005 | 284.07 | 284.77 | 0.7 | 0.30 | 7.8 | 2 |
| MS23-005 | 284.77 | 285.59 | 0.82 | 0.38 | 5.2 | 11 |
| MS23-006 | 3.57 | 5.18 | 1.61 | 0.99 | 1995 | 253 |
| MS23-006 | 5.18 | 6.71 | 1.53 | 0.60 | 1460 | 567 |
| MS23-006 | 6.71 | 7.9 | 1.19 | 0.66 | 659 | 538 |
| MS23-006 | 7.9 | 9.34 | 1.44 | 0.75 | 829 | 480 |
| MS23-006 | 9.34 | 9.75 | 0.41 | 0.56 | 1745 | 533 |
| MS23-006 | 9.75 | 11.22 | 1.47 | 0.57 | 1065 | 495 |
| MS23-006 | 11.22 | 11.87 | 0.65 | 0.27 | 495 | 361 |
| MS23-006 | 11.87 | 12.58 | 0.71 | 0.73 | 943 | 343 |
| MS23-006 | 12.58 | 13.75 | 1.17 | 0.79 | 830 | 316 |
| MS23-006 | 13.75 | 15 | 1.25 | 1.18 | 622 | 159 |
| MS23-006 | 15 | 15.85 | 0.85 | 1.46 | 530 | 262 |
| MS23-006 | 15.85 | 16.6 | 0.75 | 1.46 | 412 | 205 |
| MS23-006 | 16.6 | 17.7 | 1.1 | 2.13 | 444 | 173 |
| MS23-006 | 17.7 | 18.59 | 0.89 | 0.25 | 1255 | 170 |
| MS23-006 | 18.59 | 18.89 | 0.3 | 0.22 | 630 | 85 |
| MS23-006 | 12.02 | 12.58 | 0.56 | 0.30 | 900 | 389 |
| MS23-006 | 19.67 | 20.37 | 0.7 | 0.48 | 615 | 127 |
| MS23-006 | 20.37 | 21.61 | 1.24 | 0.32 | 401 | 118 |
| MS23-006 | 21.61 | 22.95 | 1.34 | 0.93 | 285 | 102 |
| MS23-006 | 22.95 | 24.16 | 1.21 | 1.39 | 574 | 253 |
| MS23-006 | 24.16 | 24.69 | 0.53 | 1.98 | 404 | 143 |
| MS23-006 | 27.17 | 27.28 | 0.11 | 1.40 | 297 | 230 |
| MS23-006 | 27.28 | 28.18 | 0.9 | 1.24 | 227 | 104 |
| MS23-006 | 28.18 | 28.8 | 0.62 | 1.50 | 176.5 | 115 |
| MS23-006 | 28.8 | 29.5 | 0.7 | 0.76 | 130 | 89 |
| MS23-006 | 29.5 | 30.33 | 0.83 | 0.82 | 115 | 56 |
| MS23-006 | 30.33 | 30.82 | 0.49 | 0.81 | 97 | 57 |
| MS23-006 | 32.67 | 33.53 | 0.86 | 2.89 | 183.5 | 109 |
| MS23-006 | 33.53 | 34.31 | 0.78 | 1.53 | 153 | 117 |
| MS23-006 | 34.31 | 35.11 | 0.8 | 0.93 | 178.5 | 144 |

| Hole number | From (m) | To (m) | Length (m) | Ag (ppm) | Pb (ppm) | Zn (ppm) |
|-------------|----------|--------|------------|----------|----------|----------|
| MS23-006 | 35.42 | 36 | 0.58 | 1.00 | 251 | 272 |
| MS23-006 | 36 | 36.58 | 0.58 | 1.05 | 274 | 165 |
| MS23-006 | 36.58 | 37.21 | 0.63 | 0.76 | 600 | 337 |
| MS23-006 | 37.21 | 38.25 | 1.04 | 1.15 | 1125 | 421 |
| MS23-006 | 38.25 | 38.88 | 0.63 | 1.08 | 612 | 314 |
| MS23-006 | 40.28 | 40.72 | 0.44 | 1.04 | 1075 | 239 |
| MS23-006 | 40.72 | 41.21 | 0.49 | 1.38 | 1265 | 303 |
| MS23-006 | 41.81 | 43 | 1.19 | 0.62 | 590 | 194 |
| MS23-006 | 43 | 43.79 | 0.79 | 0.61 | 545 | 373 |
| MS23-006 | 43.79 | 44.16 | 0.37 | 0.70 | 744 | 423 |
| MS23-006 | 44.16 | 45.3 | 1.14 | 0.88 | 675 | 487 |
| MS23-006 | 46.31 | 46.77 | 0.46 | 0.48 | 843 | 454 |
| MS23-006 | 48.24 | 48.74 | 0.5 | 1.12 | 867 | 397 |
| MS23-006 | 48.74 | 49.41 | 0.67 | 0.77 | 515 | 316 |
| MS23-006 | 49.41 | 50.07 | 0.66 | 0.66 | 921 | 306 |
| MS23-006 | 50.07 | 50.63 | 0.56 | 1.64 | 719 | 297 |
| MS23-006 | 50.63 | 51.28 | 0.65 | 1.35 | 519 | 125 |
| MS23-006 | 51.28 | 52.13 | 0.85 | 1.22 | 561 | 164 |
| MS23-006 | 52.13 | 52.6 | 0.47 | 2.66 | 1265 | 954 |
| MS23-006 | 52.6 | 53.21 | 0.61 | 5.07 | 2860 | 1160 |
| MS23-006 | 53.21 | 54.12 | 0.91 | 6.02 | 1115 | 647 |
| MS23-006 | 54.12 | 55.02 | 0.9 | 17.20 | 254 | 562 |
| MS23-006 | 55.02 | 56.21 | 1.19 | 12.90 | 2550 | 866 |
| MS23-006 | 56.21 | 56.9 | 0.69 | 4.76 | 2100 | 651 |
| MS23-006 | 56.9 | 57.53 | 0.63 | 1.87 | 800 | 458 |
| MS23-006 | 57.53 | 57.95 | 0.42 | 2.06 | 2000 | 888 |
| MS23-006 | 57.95 | 58.49 | 0.54 | 3.39 | 1680 | 402 |
| MS23-006 | 59.58 | 59.75 | 0.17 | 5.55 | 1415 | 278 |
| MS23-006 | 59.75 | 61.12 | 1.37 | 2.97 | 1455 | 194 |
| MS23-006 | 63.16 | 63.65 | 0.49 | 8.19 | 6020 | 367 |
| MS23-006 | 63.65 | 64.66 | 1.01 | 2.89 | 1030 | 115 |
| MS23-006 | 64.66 | 64.88 | 0.22 | 2.46 | 1750 | 194 |
| MS23-006 | 64.88 | 65.33 | 0.45 | 2.90 | 1210 | 174 |
| MS23-006 | 65.33 | 65.7 | 0.37 | 2.88 | 2510 | 546 |
| MS23-006 | 65.7 | 66.51 | 0.81 | 2.77 | 651 | 233 |
| MS23-006 | 66.51 | 67.1 | 0.59 | 2.98 | 1585 | 213 |
| MS23-006 | 67.1 | 68.17 | 1.07 | 1.16 | 1070 | 182 |
| MS23-006 | 68.17 | 68.92 | 0.75 | 1.27 | 827 | 304 |
| MS23-006 | 68.92 | 69.54 | 0.62 | 1.79 | 426 | 228 |
| MS23-006 | 69.54 | 69.96 | 0.42 | 0.46 | 270 | 273 |

| Hole number | From (m) | To (m) | Length (m) | Ag (ppm) | Pb (ppm) | Zn (ppm) |
|-------------|----------|--------|------------|----------|----------|----------|
| MS23-006 | 69.96 | 70.74 | 0.78 | 1.62 | 692 | 302 |
| MS23-006 | 70.74 | 71.53 | 0.79 | 1.82 | 567 | 142 |
| MS23-006 | 71.53 | 72.51 | 0.98 | 2.09 | 403 | 117 |
| MS23-006 | 72.51 | 72.94 | 0.43 | 2.67 | 782 | 348 |
| MS23-006 | 72.94 | 73.55 | 0.61 | 1.98 | 528 | 177 |
| MS23-006 | 73.55 | 73.88 | 0.33 | 1.90 | 388 | 146 |
| MS23-006 | 73.88 | 74.92 | 1.04 | 2.49 | 600 | 242 |
| MS23-006 | 74.92 | 75.24 | 0.32 | 1.61 | 966 | 316 |
| MS23-006 | 75.24 | 75.62 | 0.38 | 1.99 | 867 | 226 |
| MS23-006 | 75.62 | 76.45 | 0.83 | 2.19 | 850 | 252 |
| MS23-006 | 77 | 77.42 | 0.42 | 1.84 | 424 | 178 |
| MS23-006 | 77.42 | 77.54 | 0.12 | 2.86 | 750 | 213 |
| MS23-006 | 78.94 | 79.53 | 0.59 | 1.82 | 586 | 283 |
| MS23-006 | 79.53 | 80.37 | 0.84 | 2.00 | 419 | 304 |
| MS23-006 | 80.37 | 80.56 | 0.19 | 2.51 | 1140 | 283 |
| MS23-006 | 80.56 | 80.93 | 0.37 | 4.65 | 570 | 270 |
| MS23-006 | 80.93 | 81.11 | 0.18 | 3.70 | 1690 | 649 |
| MS23-006 | 81.11 | 81.65 | 0.54 | 4.01 | 576 | 288 |
| MS23-006 | 82.69 | 82.86 | 0.17 | 13.85 | 313 | 123 |
| MS23-006 | 82.86 | 83.31 | 0.45 | 20.60 | 751 | 393 |
| MS23-006 | 83.31 | 83.52 | 0.21 | 49.50 | 2500 | 1890 |
| MS23-006 | 83.52 | 83.7 | 0.18 | 75.90 | 2540 | 1665 |
| MS23-006 | 83.7 | 84.09 | 0.39 | 176.00 | 2140 | 1055 |
| MS23-006 | 84.09 | 84.32 | 0.23 | 966.00 | 2260 | 1055 |
| MS23-006 | 84.32 | 85.04 | 0.72 | 99.10 | 2040 | 558 |
| MS23-006 | 85.04 | 85.31 | 0.27 | 127.00 | 1505 | 461 |
| MS23-006 | 85.31 | 85.87 | 0.56 | 179.00 | 2910 | 415 |
| MS23-006 | 85.87 | 86.29 | 0.42 | 37.70 | 944 | 337 |
| MS23-006 | 86.29 | 86.56 | 0.27 | 28.00 | 1265 | 384 |
| MS23-006 | 86.56 | 86.8 | 0.24 | 25.40 | 790 | 478 |
| MS23-006 | 86.8 | 87.23 | 0.43 | 11.05 | 243 | 307 |
| MS23-006 | 87.23 | 87.52 | 0.29 | 6.76 | 313 | 197 |
| MS23-006 | 87.52 | 87.98 | 0.46 | 8.01 | 278 | 160 |
| MS23-006 | 87.98 | 88.29 | 0.31 | 12.50 | 331 | 347 |
| MS23-006 | 88.29 | 88.6 | 0.31 | 17.65 | 311 | 165 |
| MS23-006 | 88.6 | 89.14 | 0.54 | 8.25 | 250 | 171 |
| MS23-006 | 89.14 | 89.61 | 0.47 | 6.59 | 124 | 76 |
| MS23-006 | 89.61 | 90.18 | 0.57 | 19.10 | 464 | 77 |
| MS23-006 | 90.18 | 90.37 | 0.19 | 33.60 | 181.5 | 253 |
| MS23-006 | 90.37 | 90.59 | 0.22 | 37.60 | 267 | 112 |

| Hole number | From (m) | To (m) | Length (m) | Ag (ppm) | Pb (ppm) | Zn (ppm) |
|-------------|----------|--------|------------|----------|----------|----------|
| MS23-006 | 90.59 | 91.05 | 0.46 | 8.65 | 206 | 256 |
| MS23-006 | 91.05 | 91.58 | 0.53 | 13.50 | 461 | 468 |
| MS23-006 | 91.58 | 92.04 | 0.46 | 14.25 | 154.5 | 532 |
| MS23-006 | 92.04 | 92.42 | 0.38 | 10.95 | 104.5 | 504 |
| MS23-006 | 92.42 | 92.87 | 0.45 | 18.65 | 593 | 387 |
| MS23-006 | 92.87 | 93.24 | 0.37 | 9.81 | 468 | 348 |
| MS23-006 | 93.24 | 94.28 | 1.04 | 7.52 | 500 | 368 |
| MS23-006 | 94.28 | 95.21 | 0.93 | 7.16 | 353 | 269 |
| MS23-006 | 95.21 | 95.51 | 0.3 | 13.55 | 481 | 297 |
| MS23-006 | 95.51 | 96.59 | 1.08 | 3.53 | 254 | 235 |
| MS23-006 | 96.59 | 97.11 | 0.52 | 2.59 | 717 | 279 |
| MS23-006 | 97.11 | 97.5 | 0.39 | 2.08 | 32.9 | 115 |
| MS23-006 | 97.5 | 98.34 | 0.84 | 3.64 | 18.8 | 36 |
| MS23-006 | 98.34 | 98.86 | 0.52 | 7.04 | 342 | 267 |
| MS23-006 | 98.86 | 99.5 | 0.64 | 3.49 | 15.3 | 182 |
| MS23-006 | 99.5 | 100 | 0.5 | 5.68 | 201 | 320 |
| MS23-006 | 100 | 100.5 | 0.5 | 3.04 | 252 | 230 |
| MS23-006 | 100.5 | 101.06 | 0.56 | 3.09 | 188 | 301 |
| MS23-006 | 101.06 | 101.67 | 0.61 | 6.81 | 290 | 276 |
| MS23-006 | 101.67 | 101.9 | 0.23 | 19.70 | 198.5 | 376 |
| MS23-006 | 101.9 | 102.42 | 0.52 | 6.04 | 131 | 288 |
| MS23-006 | 102.42 | 103.09 | 0.67 | 2.94 | 157.5 | 525 |
| MS23-006 | 103.09 | 103.54 | 0.45 | 1.95 | 72.7 | 420 |
| MS23-006 | 103.54 | 104.1 | 0.56 | 4.66 | 31.5 | 262 |
| MS23-006 | 104.1 | 104.56 | 0.46 | 12.80 | 79.6 | 226 |
| MS23-006 | 104.56 | 105.16 | 0.6 | 5.15 | 2.1 | 46 |
| MS23-006 | 105.16 | 105.58 | 0.42 | 5.64 | 34.5 | 140 |
| MS23-006 | 107.27 | 107.82 | 0.55 | 8.11 | 4.4 | 23 |
| MS23-006 | 107.82 | 108 | 0.18 | 7.90 | 6.3 | 14 |
| MS23-006 | 108 | 108.51 | 0.51 | 6.76 | 7.7 | 13 |
| MS23-006 | 108.51 | 108.87 | 0.36 | 7.48 | 12.6 | 62 |
| MS23-006 | 108.87 | 109.42 | 0.55 | 8.55 | 709 | 144 |
| MS23-006 | 109.42 | 109.82 | 0.4 | 8.41 | 12.4 | 74 |
| MS23-006 | 112.5 | 113.03 | 0.53 | 0.40 | 186 | 257 |
| MS23-006 | 115.37 | 115.9 | 0.53 | 2.74 | 556 | 302 |
| MS23-006 | 115.9 | 116.87 | 0.97 | 2.20 | 942 | 409 |
| MS23-006 | 116.87 | 117.67 | 0.8 | 2.38 | 545 | 323 |
| MS23-006 | 117.67 | 118.26 | 0.59 | 4.60 | 357 | 262 |
| MS23-006 | 118.26 | 119.48 | 1.22 | 5.54 | 231 | 145 |
| MS23-006 | 119.48 | 119.76 | 0.28 | 6.60 | 202 | 264 |

| Hole number | From (m) | To (m) | Length (m) | Ag (ppm) | Pb (ppm) | Zn (ppm) |
|-------------|----------|--------|------------|----------|----------|----------|
| MS23-006 | 119.76 | 120 | 0.24 | 4.59 | 398 | 312 |
| MS23-006 | 122.57 | 123.28 | 0.71 | 1.97 | 107 | 83 |
| MS23-006 | 126.68 | 127.1 | 0.42 | 0.50 | 8.2 | 36 |
| MS23-006 | 127.1 | 128 | 0.9 | 0.97 | 79.5 | 83 |
| MS23-006 | 82.19 | 82.59 | 0.4 | 1.23 | 445 | 132 |
| MS23-006 | 131.55 | 131.88 | 0.33 | 0.83 | 37.3 | 92 |
| MS23-006 | 131.88 | 132.2 | 0.32 | 1.55 | 284 | 181 |
| MS23-006 | 132.2 | 132.68 | 0.48 | 1.36 | 167.5 | 149 |
| MS23-006 | 133.2 | 133.38 | 0.18 | 0.82 | 5.5 | 90 |
| MS23-006 | 133.79 | 133.94 | 0.15 | 0.78 | 15.5 | 32 |
| MS23-006 | 109.82 | 110.27 | 0.45 | 5.47 | 6.7 | 24 |
| MS23-006 | 110.27 | 111.23 | 0.96 | 3.19 | 10.6 | 168 |
| MS23-006 | 164.42 | 165.51 | 1.09 | 1.02 | 199 | 266 |
| MS23-006 | 177.01 | 177.26 | 0.25 | 0.05 | 4 | 65 |
| MS23-006 | 179.8 | 180 | 0.2 | 0.06 | 2.3 | 75 |
| MS23-006 | 181.97 | 182.3 | 0.33 | 0.06 | 3 | 59 |
| MS23-006 | 188.16 | 188.74 | 0.58 | 0.20 | 15.6 | 103 |
| MS23-006 | 200.1 | 201.02 | 0.92 | 0.08 | 3.4 | 54 |
| MS23-006 | 201.02 | 202.19 | 1.17 | 0.25 | 7.9 | 82 |
| MS23-006 | 202.19 | 202.54 | 0.35 | 0.04 | 13.4 | 17 |
| MS23-006 | 231.65 | 232.62 | 0.97 | 0.01 | 2.3 | 3 |
| MS23-006 | 232.62 | 233.17 | 0.55 | 0.03 | 5.5 | 11 |
| MS23-006 | 233.17 | 234.7 | 1.53 | 0.22 | 2.9 | 69 |
| MS23-006 | 234.7 | 236.04 | 1.34 | 0.73 | 5.5 | 124 |
| MS23-006 | 236.04 | 236.67 | 0.63 | 0.30 | 2.9 | 88 |
| MS23-006 | 236.67 | 237.74 | 1.07 | 0.09 | 3.3 | 2 |
| MS23-006 | 252 | 252.37 | 0.37 | 0.01 | 2.7 | 2 |
| MS23-006 | 252.37 | 253.14 | 0.77 | 0.02 | 6 | 2 |
| MS23-006 | 253.14 | 253.48 | 0.34 | 0.35 | 20.4 | 9 |
| MS23-006 | 260.76 | 261.32 | 0.56 | 0.02 | 3.6 | 2 |
| MS23-006 | 261.32 | 261.8 | 0.48 | 0.04 | 5.7 | 2 |
| MS23-006 | 261.8 | 262.28 | 0.48 | 0.05 | 4.2 | 3 |
| MS23-006 | 265.13 | 266.09 | 0.96 | 0.02 | 2.8 | 2 |
| MS23-006 | 266.09 | 267 | 0.91 | 0.02 | 2.6 | 2 |
| MS23-006 | 267 | 267.61 | 0.61 | 0.02 | 2.9 | 2 |
| MS23-006 | 267.61 | 268.53 | 0.92 | 0.08 | 2.7 | 2 |
| MS23-006 | 268.53 | 269.14 | 0.61 | 0.02 | 3.2 | 2 |
| MS23-006 | 269.14 | 270.17 | 1.03 | 0.02 | 6 | 2 |
| MS23-006 | 270.17 | 271 | 0.83 | 0.01 | 5 | 2 |
| MS23-006 | 271 | 272.19 | 1.19 | 0.01 | 4.4 | 2 |

| Hole number | From (m) | To (m) | Length (m) | Ag (ppm) | Pb (ppm) | Zn (ppm) |
|-------------|----------|--------|------------|----------|----------|----------|
| MS23-006 | 272.19 | 272.66 | 0.47 | 0.02 | 2.7 | 2 |
| MS23-006 | 272.66 | 273.06 | 0.4 | 0.03 | 5.6 | 2 |
| MS23-006 | 273.06 | 273.71 | 0.65 | 0.05 | 4.3 | 2 |
| MS23-006 | 273.71 | 274.14 | 0.43 | 0.28 | 4.4 | 2 |
| MS23-006 | 274.14 | 274.93 | 0.79 | 0.04 | 5.5 | 2 |
| MS23-006 | 274.93 | 275.62 | 0.69 | 0.04 | 4 | 2 |
| MS23-006 | 275.62 | 276.15 | 0.53 | 0.05 | 3.8 | 2 |
| MS23-006 | 276.15 | 276.76 | 0.61 | 0.05 | 5.4 | 2 |
| MS23-006 | 276.76 | 277.18 | 0.42 | 0.23 | 6.8 | 3 |
| MS23-006 | 277.18 | 277.98 | 0.8 | 0.13 | 5.5 | 2 |
| MS23-006 | 277.98 | 278.28 | 0.3 | 0.07 | 3.9 | 2 |
| MS23-006 | 278.28 | 278.84 | 0.56 | 0.16 | 5.9 | 2 |
| MS23-006 | 278.84 | 279.65 | 0.81 | 0.19 | 8.4 | 2 |
| MS23-006 | 279.65 | 280.53 | 0.57 | 0.22 | 8.8 | 2 |
| MS23-006 | 280.53 | 281.03 | 0.5 | 0.12 | 6.5 | 2 |
| MS23-006 | 281.03 | 281.91 | 0.88 | 0.20 | 8.6 | 2 |
| MS23-006 | 281.91 | 282.8 | 0.89 | 0.13 | 6.5 | 2 |
| MS23-006 | 282.8 | 283.48 | 0.68 | 0.13 | 5.6 | 2 |
| MS23-006 | 283.48 | 283.92 | 0.44 | 0.13 | 6.6 | 2 |
| MS23-006 | 286.56 | 287.35 | 0.79 | 0.97 | 480 | 2 |
| MS23-006 | 287.35 | 287.88 | 0.53 | 0.04 | 7.7 | 2 |
| MS23-006 | 287.88 | 288.83 | 0.95 | 0.03 | 6.1 | 2 |
| MS23-006 | 289.01 | 289.3 | 0.29 | 0.25 | 7.7 | 117 |
| MS23-006 | 289.3 | 289.89 | 0.59 | 0.31 | 4.2 | 232 |
| MS23-006 | 289.89 | 290.43 | 0.54 | 0.19 | 4.4 | 99 |
| MS23-006 | 290.43 | 291.42 | 0.99 | 0.13 | 4.1 | 166 |
| MS23-006 | 291.93 | 293.83 | 1.9 | 52.30 | 431 | 103 |
| MS23-006 | 293.83 | 294.29 | 0.46 | 3.49 | 172.5 | 9 |
| MS23-006 | 294.29 | 295.12 | 0.83 | 2.54 | 33.7 | 4 |
| MS23-006 | 295.12 | 295.35 | 0.23 | 5.24 | 34.7 | 5 |
| MS23-006 | 295.93 | 296.23 | 0.3 | 0.22 | 2.6 | 5 |
| MS23-006 | 296.23 | 296.88 | 0.65 | 0.30 | 2.4 | 6 |
| MS23-006 | 296.88 | 297.14 | 0.26 | 0.26 | 1.8 | 9 |
| MS23-006 | 298.83 | 299.08 | 0.25 | 36.70 | 310 | 13 |
| MS23-006 | 305.1 | 305.38 | 0.28 | 1.58 | 9.3 | 3 |
| MS23-006 | 309.89 | 311.33 | 1.44 | 0.48 | 3.6 | 17 |
| MS23-006 | 311.33 | 311.8 | 0.47 | 0.31 | 2.2 | 15 |
| MS23-006 | 311.8 | 312.1 | 0.3 | 0.37 | 3.5 | 7 |
| MS23-006 | 315.24 | 315.55 | 0.31 | 0.30 | 1.3 | 15 |
| MS23-006 | 315.55 | 315.93 | 0.38 | 0.42 | 1.6 | 14 |

| Hole number | From (m) | To (m) | Length (m) | Ag (ppm) | Pb (ppm) | Zn (ppm) |
|-------------|----------|--------|------------|----------|----------|----------|
| MS23-006 | 315.93 | 316.76 | 0.83 | 0.28 | 1.1 | 11 |
| MS23-006 | 316.76 | 317.25 | 0.49 | 0.42 | 2.9 | 8 |
| MS23-006 | 326.31 | 326.75 | 0.44 | 0.88 | 4.7 | 3 |
| MS23-006 | 326.75 | 327.51 | 0.76 | 0.32 | 1.6 | 2 |
| MS23-006 | 327.51 | 328.27 | 0.76 | 0.22 | 1.3 | 2 |
| MS23-006 | 328.27 | 328.67 | 0.4 | 0.47 | 1.6 | 2 |
| MS23-006 | 328.67 | 329.79 | 1.12 | 0.40 | 1.6 | 5 |
| MS23-006 | 332.84 | 333.32 | 0.48 | 21.70 | 9.8 | 7 |
| MS23-006 | 333.32 | 334.15 | 0.83 | 7.90 | 3.9 | 3 |
| MS23-006 | 334.15 | 334.58 | 0.43 | 13.55 | 9.3 | 4 |
| MS23-006 | 334.58 | 335.35 | 0.77 | 5.62 | 3.4 | 2 |
| MS23-006 | 335.35 | 335.83 | 0.48 | 4.40 | 6.6 | 2 |
| MS23-006 | 335.83 | 336.43 | 0.6 | 0.66 | 3.4 | 2 |
| MS23-006 | 336.43 | 337.05 | 0.62 | 4.21 | 335 | 15 |
| MS23-006 | 339.92 | 340.16 | 0.24 | 0.24 | 14.2 | 9 |
| MS23-006 | 343.65 | 344 | 0.35 | 0.09 | 1.7 | 21 |
| MS23-006 | 344 | 344.73 | 0.73 | 0.23 | 2.4 | 16 |
| MS23-006 | 344.73 | 345.52 | 0.79 | 0.20 | 1.5 | 2 |
| MS23-006 | 345.52 | 346.21 | 0.69 | 0.14 | 1.5 | 2 |
| MS23-006 | 346.21 | 346.71 | 0.5 | 0.29 | 13.4 | 15 |
| MS23-006 | 346.71 | 347 | 0.29 | 0.35 | 5.9 | 13 |
| MS23-006 | 347 | 347.78 | 0.78 | 0.63 | 185 | 4 |
| MS23-006 | 347.78 | 348.21 | 0.43 | 0.55 | 144.5 | 6 |
| MS23-006 | 348.21 | 348.85 | 0.64 | 0.87 | 10 | 8 |
| MS23-006 | 348.85 | 349.3 | 0.45 | 1.23 | 15 | 18 |
| MS23-006 | 349.3 | 349.85 | 0.55 | 0.66 | 14 | 34 |
| MS23-006 | 349.85 | 350.18 | 0.33 | 1.87 | 12.3 | 4 |
| MS23-006 | 350.18 | 350.82 | 0.64 | 0.11 | 6.2 | 20 |
| MS23-006 | 350.82 | 351.83 | 1.01 | 0.14 | 4 | 20 |
| MS23-006 | 351.83 | 352.35 | 0.52 | 0.13 | 4.5 | 37 |
| MS23-006 | 352.35 | 352.92 | 0.57 | 0.15 | 3.5 | 31 |
| MS23-006 | 352.92 | 354.03 | 1.11 | 0.11 | 2.3 | 22 |
| MS23-006 | 354.03 | 354.38 | 0.35 | 0.18 | 2.6 | 24 |
| MS23-006 | 354.38 | 354.71 | 0.33 | 0.16 | 1.5 | 14 |
| MS23-006 | 354.71 | 355.08 | 0.37 | 0.12 | 2.6 | 21 |
| MS23-006 | 355.08 | 355.7 | 0.62 | 0.19 | 2.8 | 38 |
| MS23-006 | 355.7 | 355.96 | 0.26 | 0.18 | 3.2 | 63 |
| MS23-006 | 355.96 | 356.59 | 0.63 | 0.50 | 6.4 | 40 |
| MS23-006 | 359.49 | 359.71 | 0.22 | 0.06 | 1 | 48 |
| MS23-006 | 364.17 | 364.51 | 0.34 | 0.10 | 1.2 | 55 |

| Hole number | From (m) | To (m) | Length (m) | Ag (ppm) | Pb (ppm) | Zn (ppm) |
|-------------|----------|--------|------------|----------|----------|----------|
| MS23-006 | 365.82 | 366 | 0.18 | 0.08 | 1.3 | 17 |
| MS23-006 | 367.47 | 367.65 | 0.18 | 0.62 | 3.4 | 30 |
| MS23-006 | 367.89 | 368.04 | 0.15 | 1.90 | 5.8 | 24 |
| MS23-006 | 371.63 | 371.83 | 0.2 | 0.13 | 1.8 | 11 |
| MS23-006 | 377.32 | 378.12 | 0.8 | 0.27 | 2.3 | 8 |
| MS23-006 | 378.12 | 378.93 | 0.81 | 0.27 | 2.2 | 10 |
| MS23-006 | 378.93 | 380 | 1.07 | 0.34 | 3.3 | 6 |
| MS23-006 | 384.26 | 384.67 | 0.41 | 0.37 | 2 | 4 |
| MS23-006 | 384.67 | 385.11 | 0.44 | 0.30 | 2.7 | 6 |
| MS23-006 | 396.46 | 396.8 | 0.34 | 0.28 | 9.1 | 83 |
| MS23-006 | 401.52 | 401.8 | 0.28 | 0.69 | 4.5 | 123 |
| MS23-006 | 401.8 | 402.13 | 0.33 | 1.28 | 6.5 | 171 |
| MS23-006 | 402.13 | 402.41 | 0.28 | 1.30 | 7.5 | 189 |
| MS23-006 | 402.41 | 402.81 | 0.4 | 0.90 | 11.7 | 206 |
| MS23-006 | 402.81 | 403.08 | 0.27 | 0.93 | 43.1 | 225 |
| MS23-006 | 403.95 | 404.3 | 0.35 | 0.84 | 24.3 | 174 |
| MS23-006 | 405.62 | 405.78 | 0.16 | 0.50 | 7.6 | 20 |
| MS23-006 | 417 | 417.77 | 0.77 | 0.14 | 4.1 | 10 |
| MS23-006 | 417.77 | 418.34 | 0.57 | 0.07 | 1.8 | 7 |
| MS23-006 | 418.34 | 418.95 | 0.61 | 0.05 | 3.3 | 5 |
| MS23-006 | 418.95 | 420.03 | 1.08 | 0.02 | 2.4 | 8 |
| MS23-006 | 420.03 | 420.47 | 0.44 | 0.16 | 3.6 | 10 |
| MS23-006 | 425.32 | 425.66 | 0.34 | 0.14 | 2.3 | 6 |
| MS23-006 | 425.66 | 426.36 | 0.7 | 1.38 | 21.8 | 5 |
| MS23-006 | 426.36 | 426.72 | 0.36 | 0.26 | 4.5 | 8 |
| MS23-007 | 1.75 | 3.09 | 1.34 | 158.00 | 21700 | 3840 |
| MS23-007 | 3.09 | 3.83 | 0.74 | 33.90 | 5050 | 13250 |
| MS23-007 | 3.83 | 4.71 | 0.88 | 19.90 | 4440 | 14100 |
| MS23-007 | 4.71 | 5.14 | 0.43 | 54.40 | 8010 | 9490 |
| MS23-007 | 5.14 | 6.09 | 0.95 | 71.20 | 9640 | 25900 |
| MS23-007 | 6.09 | 6.71 | 0.62 | 44.30 | 2720 | 67600 |
| MS23-007 | 6.71 | 7.01 | 0.3 | 27.60 | 1090 | 45000 |
| MS23-007 | 7.01 | 7.35 | 0.34 | 75.00 | 1280 | 37100 |
| MS23-007 | 7.35 | 8.23 | 0.88 | 80.80 | 654 | 60600 |
| MS23-007 | 8.23 | 8.69 | 0.46 | 12.00 | 1415 | 18000 |
| MS23-007 | 8.69 | 9.23 | 0.54 | 12.30 | 1655 | 16550 |
| MS23-007 | 9.23 | 9.58 | 0.35 | 21.00 | 1705 | 13950 |
| MS23-007 | 9.58 | 9.75 | 0.17 | 11.15 | 2220 | 8060 |
| MS23-007 | 9.75 | 10.97 | 1.22 | 8.84 | 2490 | 17050 |
| MS23-007 | 10.97 | 11.28 | 0.31 | 10.55 | 159.5 | 121500 |

| Hole number | From (m) | To (m) | Length (m) | Ag (ppm) | Pb (ppm) | Zn (ppm) |
|-------------|----------|--------|------------|----------|----------|----------|
| MS23-007 | 11.28 | 11.87 | 0.59 | 7.61 | 183 | 47000 |
| MS23-007 | 11.87 | 12.23 | 0.36 | 8.92 | 297 | 22900 |
| MS23-007 | 12.23 | 12.95 | 0.72 | 7.79 | 56.4 | 4670 |
| MS23-007 | 12.95 | 13.32 | 0.37 | 12.70 | 1780 | 9160 |
| MS23-007 | 13.32 | 13.72 | 0.4 | 21.60 | 479 | 19050 |
| MS23-007 | 13.72 | 13.97 | 0.25 | 60.60 | 4310 | 98500 |
| MS23-007 | 13.97 | 14.48 | 0.51 | 446.00 | 31400 | 58500 |
| MS23-007 | 14.48 | 15.3 | 0.82 | 93.60 | 12750 | 133000 |
| MS23-007 | 15.3 | 15.51 | 0.21 | 781.00 | 35200 | 69100 |
| MS23-007 | 15.51 | 15.74 | 0.23 | 66.00 | 3370 | 76700 |
| MS23-007 | 15.74 | 16.38 | 0.64 | 17.20 | 1930 | 18450 |
| MS23-007 | 16.38 | 16.97 | 0.59 | 15.75 | 64.5 | 4700 |
| MS23-007 | 16.97 | 17.22 | 0.25 | 51.60 | 26600 | 9240 |
| MS23-007 | 17.22 | 17.67 | 0.45 | 29.00 | 6900 | 4740 |
| MS23-007 | 17.67 | 18.16 | 0.49 | 51.00 | 20300 | 8500 |
| MS23-007 | 18.16 | 18.4 | 0.24 | 6.75 | 6730 | 4250 |
| MS23-007 | 18.4 | 19.4 | 1 | 2.24 | 1870 | 2790 |
| MS23-007 | 19.4 | 19.81 | 0.41 | 8.45 | 5890 | 10650 |
| MS23-007 | 19.81 | 20.26 | 0.45 | 6.24 | 4530 | 5020 |
| MS23-007 | 20.26 | 20.46 | 0.2 | 2.00 | 117.5 | 2440 |
| MS23-007 | 20.46 | 24.07 | 3.61 | - | - | - |
| MS23-007 | 24.07 | 24.38 | 0.31 | 3.33 | 1195 | 1340 |
| MS23-007 | 24.38 | 25.27 | 0.89 | 4.71 | 1355 | 1040 |
| MS23-007 | 25.27 | 25.68 | 0.41 | 13.95 | 7100 | 3520 |
| MS23-007 | 25.68 | 25.98 | 0.3 | 9.33 | 3900 | 3280 |
| MS23-007 | 25.98 | 26.19 | 0.21 | 9.89 | 2990 | 2400 |
| MS23-007 | 31.54 | 31.81 | 0.27 | 0.16 | 11.2 | 186 |
| MS23-007 | 40.65 | 41.15 | 0.5 | 2.38 | 1775 | 7140 |
| MS23-007 | 41.15 | 43.23 | 2.08 | - | - | - |
| MS23-007 | 43.23 | 43.75 | 0.52 | 3.53 | 796 | 2360 |
| MS23-007 | 43.75 | 44.44 | 0.69 | 5.71 | 543 | 2290 |
| MS23-007 | 44.44 | 44.82 | 0.38 | 8.43 | 708 | 1930 |
| MS23-007 | 44.82 | 45.54 | 0.72 | 6.69 | 997 | 2410 |
| MS23-007 | 45.54 | 46.26 | 0.72 | 7.09 | 1315 | 2420 |
| MS23-007 | 46.26 | 47 | 0.74 | 4.05 | 602 | 2380 |
| MS23-007 | 47 | 47.24 | 0.24 | 7.78 | 4040 | 5540 |
| MS23-007 | 47.24 | 48 | 0.76 | 3.03 | 2950 | 4630 |
| MS23-007 | 48 | 48.31 | 0.31 | 5.98 | 6630 | 10700 |
| MS23-007 | 48.31 | 48.92 | 0.61 | 6.94 | 13850 | 17400 |
| MS23-007 | 48.92 | 49.44 | 0.52 | 199.00 | 27700 | 84700 |

| Hole number | From (m) | To (m) | Length (m) | Ag (ppm) | Pb (ppm) | Zn (ppm) |
|-------------|----------|--------|------------|----------|----------|----------|
| MS23-007 | 49.44 | 49.84 | 0.4 | 118.00 | 24800 | 41400 |
| MS23-007 | 49.84 | 50.2 | 0.36 | 2.86 | 7610 | 15250 |
| MS23-007 | 50.2 | 50.56 | 0.36 | 6.63 | 3480 | 11050 |
| MS23-007 | 50.56 | 51.03 | 0.47 | 10.60 | 14100 | 34300 |
| MS23-007 | 51.03 | 51.58 | 0.55 | 10.40 | 9880 | 24100 |
| MS23-007 | 51.58 | 51.85 | 0.27 | 129.00 | 28100 | 41000 |
| MS23-007 | 51.85 | 52.16 | 0.31 | 65.90 | 32100 | 41800 |
| MS23-007 | 52.16 | 52.32 | 0.16 | 61.00 | 18800 | 24700 |
| MS23-007 | 52.32 | 52.44 | 0.12 | 1.60 | 11150 | 11950 |
| MS23-007 | 52.44 | 52.75 | 0.31 | 2.42 | 4590 | 4860 |
| MS23-007 | 52.75 | 52.85 | 0.1 | 5.93 | 9240 | 14600 |
| MS23-007 | 52.85 | 53.2 | 0.35 | 37.30 | 11800 | 5190 |
| MS23-007 | 53.2 | 54 | 0.8 | 0.88 | 2550 | 3120 |
| MS23-007 | 54 | 55.02 | 1.02 | 1.42 | 1135 | 2170 |
| MS23-007 | 55.02 | 55.55 | 0.53 | 1.28 | 632 | 2550 |
| MS23-007 | 55.55 | 56.24 | 0.69 | 2.56 | 2150 | 3720 |
| MS23-007 | 56.24 | 56.46 | 0.22 | 4.93 | 2620 | 3340 |
| MS23-007 | 56.46 | 56.87 | 0.41 | 3.59 | 2180 | 4950 |
| MS23-007 | 56.87 | 57.08 | 0.21 | 4.24 | 2990 | 6640 |
| MS23-007 | 57.08 | 57.47 | 0.39 | 2.53 | 1785 | 3560 |
| MS23-007 | 57.47 | 58.21 | 0.74 | 2.97 | 1110 | 3290 |
| MS23-007 | 58.21 | 58.52 | 0.31 | 3.20 | 946 | 2030 |
| MS23-007 | 58.52 | 59.05 | 0.53 | 1.80 | 1375 | 1795 |
| MS23-007 | 59.05 | 59.58 | 0.53 | 1.86 | 245 | 2440 |
| MS23-007 | 59.58 | 59.95 | 0.37 | 0.80 | 49.3 | 1750 |
| MS23-007 | 61.37 | 61.57 | 0.2 | 0.76 | 2310 | 1905 |
| MS23-007 | 63.94 | 64.62 | 0.68 | 1.20 | 154 | 3320 |
| MS23-007 | 65.35 | 65.94 | 0.59 | 2.65 | 396 | 1930 |
| MS23-007 | 65.94 | 66.65 | 0.71 | 4.11 | 546 | 1935 |
| MS23-007 | 66.65 | 66.9 | 0.25 | 1.96 | 623 | 1855 |
| MS23-007 | 67.28 | 67.52 | 0.24 | 1.87 | 228 | 982 |
| MS23-007 | 67.52 | 67.89 | 0.37 | 1.94 | 227 | 1065 |
| MS23-007 | 67.89 | 68.09 | 0.2 | 1.57 | 139 | 849 |
| MS23-007 | 68.09 | 68.48 | 0.39 | 3.12 | 796 | 2450 |
| MS23-007 | 68.48 | 68.74 | 0.26 | 1.92 | 256 | 2660 |
| MS23-007 | 70.08 | 70.39 | 0.31 | 0.61 | 120.5 | 906 |
| MS23-007 | 71 | 71.42 | 0.42 | 0.22 | 33.1 | 259 |
| MS23-007 | 71.42 | 71.92 | 0.5 | 0.26 | 26.2 | 455 |
| MS23-007 | 71.92 | 72.17 | 0.25 | 0.30 | 11.2 | 385 |
| MS23-007 | 72.59 | 73.15 | 0.56 | 0.16 | 37 | 549 |

| Hole number | From (m) | To (m) | Length (m) | Ag (ppm) | Pb (ppm) | Zn (ppm) |
|-------------|----------|--------|------------|----------|----------|----------|
| MS23-007 | 74.16 | 74.49 | 0.33 | 1.40 | 191.5 | 992 |
| MS23-007 | 74.89 | 75.29 | 0.4 | 2.08 | 340 | 851 |
| MS23-007 | 75.29 | 75.49 | 0.2 | 2.20 | 194.5 | 1520 |
| MS23-007 | 77.71 | 77.91 | 0.2 | 0.30 | 16.8 | 116 |
| MS23-007 | 77.91 | 78.16 | 0.25 | 0.15 | 15.1 | 41 |
| MS23-007 | 78.16 | 78.33 | 0.17 | 0.41 | 41 | 84 |
| MS23-007 | 80.5 | 80.82 | 0.32 | 0.31 | 106.5 | 403 |
| MS23-007 | 80.82 | 81.54 | 0.72 | 0.81 | 271 | 864 |
| MS23-007 | 81.54 | 81.85 | 0.31 | 0.92 | 481 | 913 |
| MS23-007 | 81.85 | 82.22 | 0.37 | 1.43 | 283 | 1270 |
| MS23-007 | 82.22 | 82.78 | 0.56 | 1.60 | 128 | 1250 |
| MS23-007 | 82.78 | 82.91 | 0.13 | 0.86 | 128 | 815 |
| MS23-007 | 83.5 | 83.92 | 0.42 | 0.67 | 130 | 972 |
| MS23-007 | 83.92 | 84.37 | 0.45 | 0.91 | 72.3 | 1290 |
| MS23-007 | 86.92 | 87.1 | 0.18 | 0.32 | 75.3 | 200 |
| MS23-007 | 89.15 | 89.42 | 0.27 | 0.36 | 238 | 919 |
| MS23-007 | 89.85 | 90.04 | 0.19 | 0.42 | 331 | 642 |
| MS23-007 | 94.1 | 94.45 | 0.35 | 0.54 | 67.4 | 553 |
| MS23-007 | 94.45 | 94.78 | 0.33 | 0.95 | 160 | 1495 |
| MS23-007 | 95.63 | 96.13 | 0.5 | 0.83 | 45.6 | 1845 |
| MS23-007 | 96.13 | 96.62 | 0.49 | 1.34 | 340 | 1625 |
| MS23-007 | 96.62 | 97 | 0.38 | 2.85 | 75.1 | 9060 |
| MS23-007 | 97 | 97.43 | 0.43 | 2.35 | 1090 | 3820 |
| MS23-007 | 97.43 | 98.05 | 0.62 | 1.68 | 340 | 1150 |
| MS23-007 | 98.05 | 98.22 | 0.17 | 1.78 | 381 | 978 |
| MS23-007 | 98.22 | 98.8 | 0.58 | 2.82 | 1575 | 2740 |
| MS23-007 | 98.8 | 99.02 | 0.22 | 3.54 | 2370 | 2950 |
| MS23-007 | 99.02 | 99.84 | 0.82 | 4.26 | 4440 | 9710 |
| MS23-007 | 99.84 | 100 | 0.16 | 15.95 | 4140 | 17900 |
| MS23-007 | 100 | 100.39 | 0.39 | 13.15 | 1485 | 21300 |
| MS23-007 | 100.39 | 100.9 | 0.51 | 3.50 | 1570 | 2630 |
| MS23-007 | 100.9 | 101.5 | 0.6 | 5.61 | 888 | 5270 |
| MS23-007 | 101.5 | 102.14 | 0.64 | 6.74 | 3120 | 12650 |
| MS23-007 | 102.14 | 102.94 | 0.8 | 4.07 | 899 | 2300 |
| MS23-007 | 102.94 | 103.4 | 0.46 | 6.24 | 11700 | 7450 |
| MS23-007 | 103.4 | 104 | 0.6 | 8.53 | 8030 | 22400 |
| MS23-007 | 104 | 104.3 | 0.3 | 21.20 | 5530 | 75400 |
| MS23-007 | 104.3 | 105.03 | 0.73 | 5.31 | 1975 | 6110 |
| MS23-007 | 105.03 | 105.77 | 0.74 | 2.00 | 1085 | 1335 |
| MS23-007 | 105.77 | 106.2 | 0.43 | 5.22 | 1925 | 4790 |

| Hole number | From (m) | To (m) | Length (m) | Ag (ppm) | Pb (ppm) | Zn (ppm) |
|-------------|----------|--------|------------|----------|----------|----------|
| MS23-007 | 106.2 | 106.6 | 0.4 | 12.65 | 405 | 24500 |
| MS23-007 | 106.6 | 107.14 | 0.54 | 1.99 | 243 | 1210 |
| MS23-007 | 107.14 | 107.69 | 0.55 | 2.68 | 489 | 1065 |
| MS23-007 | 107.69 | 108.72 | 1.03 | 5.70 | 475 | 6680 |
| MS23-007 | 108.72 | 109.27 | 0.55 | 31.30 | 171 | 32900 |
| MS23-007 | 109.27 | 109.61 | 0.34 | 5.65 | 131 | 17000 |
| MS23-007 | 109.61 | 110.34 | 0.73 | 0.62 | 29.8 | 1675 |
| MS23-007 | 112.18 | 112.5 | 0.32 | 2.37 | 76.1 | 17050 |
| MS23-007 | 112.5 | 113.15 | 0.65 | 1.66 | 36.4 | 16850 |
| MS23-007 | 113.15 | 113.48 | 0.33 | 2.07 | 32.6 | 4490 |
| MS23-007 | 113.48 | 113.84 | 0.36 | 1.00 | 305 | 6550 |
| MS23-007 | 113.84 | 114.12 | 0.28 | 0.60 | 161 | 1855 |
| MS23-007 | 114.12 | 114.5 | 0.38 | 1.55 | 114.5 | 1045 |
| MS23-007 | 114.5 | 115.04 | 0.54 | 0.80 | 23.2 | 1650 |
| MS23-007 | 115.04 | 115.71 | 0.67 | 2.47 | 37.2 | 12500 |
| MS23-007 | 115.71 | 116 | 0.29 | 2.37 | 42.2 | 12700 |
| MS23-007 | 116 | 116.43 | 0.43 | 2.58 | 56.4 | 12200 |
| MS23-007 | 116.43 | 116.72 | 0.29 | 1.43 | 208 | 4700 |
| MS23-007 | 116.72 | 117.25 | 0.53 | 1.90 | 50.9 | 7110 |
| MS23-007 | 121.22 | 121.55 | 0.33 | 0.69 | 221 | 1490 |
| MS23-007 | 124.29 | 124.59 | 0.3 | 5.65 | 2670 | 478 |
| MS23-007 | 125.3 | 125.52 | 0.22 | 3.64 | 1560 | 1305 |
| MS23-007 | 127.25 | 127.45 | 0.2 | 2.22 | 32.3 | 278 |
| MS23-007 | 129.2 | 129.42 | 0.22 | 1.76 | 770 | 675 |
| MS23-007 | 131.36 | 131.67 | 0.31 | 0.58 | 160 | 586 |
| MS23-007 | 131.67 | 131.94 | 0.27 | 0.79 | 76.3 | 250 |
| MS23-007 | 132.69 | 133.16 | 0.47 | 2.65 | 3490 | 407 |
| MS23-007 | 135.55 | 135.8 | 0.25 | 6.90 | 2830 | 886 |
| MS23-007 | 135.8 | 136.25 | 0.45 | 1.75 | 1750 | 2800 |
| MS23-007 | 136.25 | 136.73 | 0.48 | 2.52 | 509 | 1335 |
| MS23-007 | 137.37 | 137.77 | 0.4 | 2.97 | 3590 | 716 |
| MS23-007 | 137.77 | 138.04 | 0.27 | 4.98 | 7280 | 806 |
| MS23-007 | 118.74 | 119.25 | 0.51 | 1.09 | 527 | 1865 |
| MS23-007 | 119.25 | 119.67 | 0.42 | 0.91 | 566 | 1315 |
| MS23-007 | 121.86 | 122.07 | 0.21 | 0.23 | 48.3 | 331 |
| MS23-007 | 126.48 | 126.7 | 0.22 | 0.91 | 43.6 | 1520 |
| MS23-007 | 127.45 | 127.78 | 0.33 | 1.64 | 578 | 476 |
| MS23-007 | 129.64 | 129.92 | 0.28 | 2.61 | 1650 | 513 |
| MS23-007 | 129.92 | 130.22 | 0.3 | 2.50 | 1230 | 282 |
| MS23-007 | 130.22 | 130.36 | 0.14 | 7.40 | 2910 | 247 |

| Hole number | From (m) | To (m) | Length (m) | Ag (ppm) | Pb (ppm) | Zn (ppm) |
|-------------|----------|--------|------------|----------|----------|----------|
| MS23-007 | 133.91 | 134.2 | 0.29 | 0.87 | 646 | 140 |
| MS23-007 | 134.2 | 135.22 | 1.02 | 1.64 | 352 | 1755 |
| MS23-007 | 135.22 | 135.55 | 0.33 | 5.07 | 2300 | 1600 |
| MS23-007 | 137.05 | 137.32 | 0.27 | 2.96 | 1695 | 482 |
| MS23-007 | 138.04 | 138.58 | 0.54 | 9.52 | 3250 | 308 |
| MS23-007 | 138.58 | 138.91 | 0.33 | 4.16 | 13400 | 1960 |
| MS23-007 | 138.91 | 139.29 | 0.38 | 5.77 | 1810 | 325 |
| MS23-007 | 139.29 | 139.8 | 0.51 | 8.10 | 2000 | 352 |
| MS23-007 | 139.8 | 140.25 | 0.45 | 8.31 | 1800 | 388 |
| MS23-007 | 140.25 | 140.82 | 0.57 | 3.45 | 1615 | 463 |
| MS23-007 | 140.82 | 141.13 | 0.31 | 4.46 | 477 | 582 |
| MS23-007 | 141.13 | 141.25 | 0.12 | 4.92 | 33.1 | 496 |
| MS23-007 | 141.25 | 141.45 | 0.2 | 5.89 | 35.8 | 347 |
| MS23-007 | 141.45 | 141.66 | 0.21 | 9.20 | 452 | 376 |
| MS23-007 | 141.66 | 142.04 | 0.38 | 137.00 | 5540 | 748 |
| MS23-007 | 142.04 | 142.44 | 0.4 | 27.50 | 1950 | 194 |
| MS23-007 | 142.44 | 142.95 | 0.51 | 30.00 | 1985 | 123 |
| MS23-007 | 142.95 | 143.34 | 0.39 | 42.20 | 2990 | 124 |
| MS23-007 | 143.34 | 143.79 | 0.45 | 18.20 | 2210 | 80 |
| MS23-007 | 143.79 | 144.1 | 0.31 | 8.90 | 160.5 | 17 |
| MS23-007 | 144.1 | 144.56 | 0.46 | 3.77 | 240 | 10 |
| MS23-007 | 144.56 | 145.19 | 0.63 | 5.28 | 1075 | 16 |
| MS23-007 | 145.19 | 145.8 | 0.61 | 8.49 | 1030 | 29 |
| MS23-007 | 145.8 | 146.05 | 0.25 | 9.96 | 716 | 71 |
| MS23-007 | 146.05 | 146.31 | 0.26 | 5.45 | 650 | 105 |
| MS23-007 | 146.31 | 146.63 | 0.32 | 15.40 | 252 | 150 |
| MS23-007 | 146.63 | 147 | 0.37 | 36.20 | 1865 | 556 |
| MS23-007 | 147 | 147.47 | 0.47 | 8.30 | 835 | 1070 |
| MS23-007 | 147.47 | 147.86 | 0.39 | 3.43 | 166 | 1515 |
| MS23-007 | 147.86 | 148.3 | 0.44 | 1.60 | 112.5 | 1275 |
| MS23-007 | 148.3 | 148.69 | 0.39 | 0.53 | 20 | 341 |
| MS23-007 | 150.6 | 151.03 | 0.43 | 0.05 | 10.1 | 79 |
| MS23-007 | 151.03 | 151.49 | 0.46 | 0.08 | 7.9 | 221 |
| MS23-007 | 156.81 | 157.15 | 0.34 | 0.05 | 7.6 | 57 |
| MS23-007 | 161.3 | 161.51 | 0.21 | 0.04 | 9.7 | 59 |
| MS23-007 | 163.35 | 163.68 | 0.33 | 0.33 | 8.3 | 56 |
| MS23-007 | 163.68 | 164.24 | 0.56 | 0.08 | 7.2 | 48 |
| MS23-007 | 164.24 | 164.46 | 0.22 | 0.04 | 6.8 | 48 |
| MS23-007 | 164.77 | 165.16 | 0.39 | 0.06 | 10.8 | 56 |
| MS23-007 | 169.5 | 169.77 | 0.27 | 0.07 | 23.7 | 91 |

| Hole number | From (m) | To (m) | Length (m) | Ag (ppm) | Pb (ppm) | Zn (ppm) |
|-------------|----------|--------|------------|----------|----------|----------|
| MS23-007 | 169.77 | 170.21 | 0.44 | 0.05 | 13.6 | 57 |
| MS23-007 | 173.79 | 174.24 | 0.45 | 0.03 | 7.1 | 39 |
| MS23-007 | 185.56 | 185.76 | 0.2 | 0.06 | 10.3 | 70 |
| MS23-007 | 185.76 | 185.96 | 0.2 | 0.14 | 15.8 | 85 |
| MS23-007 | 185.96 | 186.54 | 0.58 | 0.17 | 26.4 | 137 |
| MS23-007 | 190.43 | 191 | 0.57 | 0.03 | 5.4 | 74 |
| MS23-007 | 191 | 191.3 | 0.3 | 0.11 | 6.5 | 53 |
| MS23-007 | 192.4 | 192.71 | 0.31 | 0.11 | 7.5 | 55 |
| MS23-007 | 194.27 | 194.57 | 0.3 | 0.06 | 6.3 | 24 |
| MS23-007 | 182.88 | 183 | 0.12 | 0.01 | 7 | 43 |
| MS23-007 | 184.43 | 184.53 | 0.1 | 0.02 | 12 | 51 |
| MS23-007 | 185.01 | 185.18 | 0.17 | 0.03 | 9.5 | 50 |
| MS23-007 | 188 | 188.11 | 0.11 | 0.04 | 9.2 | 46 |
| MS23-007 | 193.14 | 193.55 | 0.41 | 0.04 | 6.5 | 30 |
| MS23-007 | 195.45 | 196 | 0.55 | 0.28 | 4.7 | 34 |
| MS23-007 | 196 | 196.34 | 0.34 | 1.21 | 11.8 | 45 |
| MS23-007 | 196.84 | 197.05 | 0.21 | 0.18 | 27.3 | 67 |
| MS23-007 | 197.05 | 197.94 | 0.89 | 0.04 | 16.4 | 71 |
| MS23-007 | 197.94 | 198.27 | 0.33 | 0.14 | 11.2 | 47 |
| MS23-007 | 198.27 | 198.44 | 0.17 | 0.05 | 8 | 53 |
| MS23-007 | 198.44 | 199.12 | 0.68 | 0.03 | 15.6 | 53 |
| MS23-007 | 199.12 | 199.28 | 0.16 | 0.04 | 9.5 | 47 |
| MS23-007 | 201.73 | 202 | 0.27 | 0.02 | 3 | 47 |
| MS23-007 | 202.54 | 202.88 | 0.34 | 0.12 | 6.8 | 52 |
| MS23-007 | 203.07 | 203.36 | 0.29 | 0.06 | 28 | 65 |
| MS23-007 | 203.36 | 204.07 | 0.71 | 0.08 | 15.6 | 65 |
| MS23-007 | 204.85 | 205.13 | 0.28 | 0.08 | 13.3 | 74 |
| MS23-007 | 205.61 | 206.04 | 0.43 | 0.04 | 13.2 | 71 |
| MS23-007 | 205.13 | 205.61 | 0.48 | 0.03 | 14.2 | 65 |
| MS23-007 | 207.72 | 208.25 | 0.53 | 0.03 | 6.8 | 56 |
| MS23-007 | 208.25 | 208.61 | 0.36 | 0.02 | 5.3 | 48 |
| MS23-007 | 208.79 | 209.16 | 0.37 | 0.02 | 3.8 | 47 |
| MS23-007 | 209.16 | 209.49 | 0.33 | 0.02 | 2.2 | 50 |
| MS23-007 | 209.49 | 209.77 | 0.28 | 0.07 | 2.4 | 50 |
| MS23-007 | 209.77 | 210.14 | 0.37 | 0.13 | 4.4 | 54 |
| MS23-007 | 211.59 | 212.05 | 0.46 | 0.23 | 54.7 | 139 |
| MS23-007 | 212.05 | 212.76 | 0.71 | 1.46 | 157.5 | 152 |
| MS23-007 | 212.76 | 213 | 0.24 | 0.52 | 229 | 122 |
| MS23-007 | 213 | 213.41 | 0.41 | 1.13 | 36.2 | 53 |
| MS23-007 | 213.41 | 214 | 0.59 | 2.04 | 53.5 | 40 |

| Hole number | From (m) | To (m) | Length (m) | Ag (ppm) | Pb (ppm) | Zn (ppm) |
|-------------|----------|--------|------------|----------|----------|----------|
| MS23-007 | 214 | 214.39 | 0.39 | 1.89 | 55.5 | 28 |
| MS23-007 | 214.39 | 214.63 | 0.24 | 2.00 | 28 | 32 |
| MS23-007 | 214.63 | 214.88 | 0.25 | 2.28 | 27 | 42 |
| MS23-007 | 214.88 | 215.05 | 0.17 | 1.60 | 36.1 | 93 |
| MS23-007 | 215.05 | 215.2 | 0.15 | 3.46 | 32.4 | 25 |
| MS23-007 | 215.2 | 215.43 | 0.23 | 1.99 | 40.5 | 74 |
| MS23-007 | 215.43 | 215.76 | 0.33 | 3.71 | 36.3 | 189 |
| MS23-007 | 215.76 | 216.01 | 0.25 | 1.17 | 36.3 | 369 |
| MS23-007 | 216.01 | 216.48 | 0.47 | 1.13 | 28.8 | 397 |
| MS23-007 | 218.88 | 219.16 | 0.28 | 0.08 | 0.8 | 60 |
| MS23-007 | 221.07 | 221.28 | 0.21 | 0.08 | 36 | 91 |
| MS23-007 | 223.68 | 224.21 | 0.53 | 0.19 | 60.6 | 73 |
| MS23-007 | 224.21 | 224.52 | 0.31 | 0.20 | 31.6 | 35 |
| MS23-007 | 226.06 | 226.55 | 0.49 | 0.17 | 30.8 | 186 |
| MS23-007 | 229.81 | 230.24 | 0.43 | 0.27 | 62.2 | 139 |
| MS23-007 | 230.24 | 230.6 | 0.36 | 0.42 | 34.5 | 79 |
| MS23-007 | 232.53 | 232.92 | 0.39 | 0.22 | 50.6 | 157 |
| MS23-007 | 235.58 | 235.92 | 0.34 | 0.56 | 90.6 | 804 |
| MS23-007 | 235.92 | 236.14 | 0.22 | 0.68 | 74.1 | 782 |
| MS23-007 | 237.79 | 238.13 | 0.34 | 0.29 | 16.3 | 464 |
| MS23-007 | 239.63 | 240.18 | 0.55 | 0.25 | 34.9 | 320 |
| MS23-007 | 241.29 | 242.2 | 0.91 | 0.48 | 96.4 | 367 |
| MS23-007 | 242.2 | 242.55 | 0.35 | 0.45 | 70.2 | 382 |
| MS23-007 | 243.99 | 244.29 | 0.3 | 0.62 | 120 | 457 |
| MS23-007 | 244.29 | 244.74 | 0.45 | 0.43 | 46.7 | 333 |
| MS23-007 | 244.74 | 245.36 | 0.62 | 0.43 | 21.2 | 311 |
| MS23-007 | 245.36 | 245.82 | 0.46 | 0.47 | 11.6 | 258 |
| MS23-007 | 247.19 | 247.45 | 0.26 | 0.57 | 33.8 | 203 |
| MS23-007 | 248.18 | 248.47 | 0.29 | 0.54 | 15.4 | 315 |
| MS23-007 | 248.72 | 249 | 0.28 | 0.39 | 23.2 | 171 |
| MS23-007 | 249.11 | 249.52 | 0.41 | 0.69 | 31.3 | 172 |
| MS23-007 | 252.22 | 252.35 | 0.13 | 0.27 | 19.8 | 178 |
| MS23-007 | 252.35 | 252.56 | 0.21 | 0.41 | 45.2 | 277 |
| MS23-007 | 252.56 | 253.26 | 0.7 | 0.74 | 58.9 | 200 |
| MS23-007 | 253.26 | 253.68 | 0.42 | 0.49 | 70.8 | 180 |
| MS23-007 | 253.68 | 254.35 | 0.67 | 0.48 | 61.9 | 196 |
| MS23-007 | 254.35 | 255.1 | 0.75 | 0.55 | 94 | 239 |
| MS23-007 | 256.05 | 256.64 | 0.59 | 0.27 | 5 | 101 |
| MS23-007 | 256.64 | 257.36 | 0.72 | 0.16 | 9.1 | 155 |
| MS23-007 | 257.36 | 258.17 | 0.81 | 0.05 | 22.1 | 1375 |

| Hole number | From (m) | To (m) | Length (m) | Ag (ppm) | Pb (ppm) | Zn (ppm) |
|-------------|----------|--------|------------|----------|----------|----------|
| MS23-007 | 258.17 | 259.69 | 1.52 | 0.07 | 11.7 | 764 |
| MS23-007 | 259.69 | 259.99 | 0.3 | 0.04 | 41.4 | 1785 |
| MS23-007 | 264 | 264.26 | 0.26 | 0.07 | 128.5 | 1125 |
| MS23-007 | 264.26 | 265 | 0.74 | 0.48 | 142 | 635 |
| MS23-007 | 265 | 265.22 | 0.22 | 0.40 | 36.2 | 160 |
| MS23-007 | 265.22 | 265.58 | 0.36 | 0.31 | 44.8 | 378 |
| MS23-007 | 265.58 | 266.02 | 0.44 | 0.37 | 92.4 | 805 |
| MS23-007 | 275.04 | 275.28 | 0.24 | 0.58 | 11.1 | 14 |
| MS23-007 | 275.97 | 276.25 | 0.28 | 0.41 | 5.8 | 22 |
| MS23-007 | 276.48 | 276.9 | 0.42 | 0.40 | 3.6 | 6 |
| MS23-007 | 276.9 | 277.15 | 0.25 | 1.09 | 13.8 | 7 |
| MS23-007 | 277.15 | 277.67 | 0.52 | 0.99 | 11.1 | 15 |
| MS23-007 | 277.67 | 278.08 | 0.41 | 0.51 | 6.7 | 55 |
| MS23-007 | 278.08 | 278.6 | 0.52 | 0.22 | 3 | 9 |
| MS23-007 | 278.6 | 279.35 | 0.75 | 0.46 | 5.6 | 81 |
| MS23-007 | 279.35 | 279.86 | 0.51 | 0.21 | 3.3 | 37 |
| MS23-007 | 279.86 | 280.2 | 0.34 | 0.45 | 6.2 | 54 |
| MS23-007 | 280.2 | 280.61 | 0.41 | 0.39 | 4.7 | 42 |
| MS23-007 | 280.61 | 281.28 | 0.67 | 0.27 | 6.4 | 36 |
| MS23-007 | 281.28 | 281.65 | 0.37 | 1.03 | 106.5 | 162 |
| MS23-007 | 281.65 | 282.12 | 0.47 | 2.24 | 173 | 674 |
| MS23-007 | 282.12 | 282.39 | 0.27 | 1.99 | 230 | 565 |
| MS23-007 | 282.39 | 282.7 | 0.31 | 1.61 | 19.9 | 501 |
| MS23-007 | 282.7 | 283.34 | 0.64 | 0.56 | 6.6 | 77 |
| MS23-007 | 290.54 | 291.15 | 0.61 | 0.35 | 4 | 22 |
| MS23-007 | 292.15 | 292.58 | 0.43 | 0.41 | 510 | 380 |
| MS23-007 | 292.58 | 293.22 | 0.64 | 0.38 | 9 | 144 |
| MS23-007 | 293.22 | 293.54 | 0.32 | 0.49 | 6.6 | 30 |
| MS23-007 | 293.62 | 294.04 | 0.42 | 0.48 | 7.4 | 40 |
| MS23-007 | 294.04 | 294.37 | 0.33 | 0.41 | 4.7 | 22 |
| MS23-007 | 294.65 | 295.13 | 0.48 | 0.30 | 12.5 | 36 |
| MS23-007 | 296 | 296.27 | 0.27 | 0.55 | 7.9 | 19 |
| MS23-007 | 296.27 | 296.89 | 0.62 | 0.23 | 5.1 | 32 |
| MS23-007 | 296.89 | 297.46 | 0.57 | 0.20 | 5.2 | 81 |
| MS23-007 | 298.35 | 298.47 | 0.12 | 0.36 | 3.3 | 14 |
| MS23-007 | 301.53 | 301.63 | 0.1 | 0.27 | 2.8 | 39 |
| MS23-007 | 302.64 | 303.07 | 0.43 | 0.20 | 2 | 15 |
| MS23-007 | 303.93 | 304.05 | 0.12 | 0.36 | 3.6 | 41 |
| MS23-007 | 305.65 | 305.98 | 0.33 | 0.21 | 1.7 | 19 |
| MS23-007 | 306.28 | 306.72 | 0.44 | 0.41 | 4 | 21 |

| Hole number | From (m) | To (m) | Length (m) | Ag (ppm) | Pb (ppm) | Zn (ppm) |
|-------------|----------|--------|------------|----------|----------|----------|
| MS23-007 | 306.98 | 307.28 | 0.3 | 0.15 | 3.1 | 60 |
| MS23-007 | 311.25 | 311.51 | 0.26 | 0.09 | 1.7 | 10 |
| MS23-007 | 312.33 | 312.56 | 0.23 | 0.40 | 2.8 | 10 |
| MS23-007 | 314.1 | 314.4 | 0.3 | 0.24 | 2.8 | 54 |
| MS23-007 | 316.43 | 316.72 | 0.29 | 0.42 | 4.4 | 161 |
| MS23-007 | 317.37 | 317.8 | 0.43 | 0.36 | 3.4 | 38 |
| MS23-007 | 318.46 | 318.76 | 0.3 | 0.31 | 2.4 | 30 |
| MS23-007 | 318.76 | 318.93 | 0.17 | 0.38 | 4.4 | 147 |
| MS23-007 | 320.48 | 320.65 | 0.17 | 0.38 | 4 | 34 |
| MS23-007 | 323.31 | 323.5 | 0.19 | 0.22 | 4.9 | 35 |
| MS23-007 | 323.5 | 323.69 | 0.19 | 0.06 | 2.2 | 56 |
| MS23-007 | 324.66 | 324.93 | 0.27 | 0.06 | 1.3 | 9 |
| MS23-007 | 324.93 | 325.22 | 0.29 | 0.03 | 0.9 | 7 |
| MS23-007 | 326.85 | 327.2 | 0.35 | 0.03 | 0.8 | 39 |
| MS23-007 | 327.31 | 328 | 0.69 | 0.10 | 1.3 | 46 |
| MS23-007 | 328 | 328.43 | 0.43 | 0.12 | 1.3 | 22 |
| MS23-007 | 328.43 | 329.05 | 0.62 | 0.16 | 1.6 | 39 |
| MS23-007 | 333.13 | 333.35 | 0.22 | 0.12 | 1.2 | 195 |
| MS23-007 | 334.35 | 334.59 | 0.24 | 0.12 | 0.9 | 32 |
| MS23-007 | 334.59 | 335.12 | 0.53 | 0.16 | 1.5 | 40 |
| MS23-007 | 335.12 | 335.49 | 0.37 | 0.13 | 1 | 41 |
| MS23-007 | 336.15 | 336.3 | 0.15 | 0.15 | 1.5 | 80 |
| MS23-007 | 337.42 | 337.8 | 0.38 | 0.19 | 3.7 | 30 |
| MS23-007 | 337.8 | 338.11 | 0.31 | 0.27 | 2.5 | 62 |
| MS23-007 | 338.11 | 338.79 | 0.68 | 0.31 | 2.7 | 39 |
| MS23-007 | 350.92 | 351.36 | 0.44 | 0.28 | 3.6 | 54 |
| MS23-007 | 352.4 | 352.52 | 0.12 | 0.53 | 5.3 | 3 |
| MS23-007 | 357.23 | 357.74 | 0.51 | 0.24 | 11.2 | 9 |
| MS23-007 | 357.93 | 358.22 | 0.29 | 0.56 | 13.1 | 9 |
| MS23-007 | 358.22 | 358.43 | 0.21 | 1.22 | 13.8 | 9 |
| MS23-007 | 358.43 | 358.57 | 0.14 | 0.29 | 7.6 | 18 |
| MS23-007 | 358.57 | 358.75 | 0.18 | 0.09 | 2.5 | 24 |
| MS23-007 | 359.31 | 359.54 | 0.23 | 0.33 | 16.2 | 221 |
| MS23-007 | 360.91 | 361.44 | 0.53 | 0.25 | 11.6 | 251 |
| MS23-007 | 361.44 | 361.8 | 0.36 | 0.30 | 9.1 | 166 |
| MS23-007 | 363.61 | 364 | 0.39 | 0.17 | 4.2 | 118 |
| MS23-007 | 373 | 373.26 | 0.26 | 0.02 | 3.9 | 17 |
| MS23-007 | 373.26 | 373.61 | 0.35 | 0.01 | 8.8 | 26 |
| MS23-007 | 375.19 | 375.4 | 0.21 | 0.01 | 17 | 12 |
| MS23-007 | 379 | 379.31 | 0.31 | 0.05 | 17 | 84 |

| Hole number | From (m) | To (m) | Length (m) | Ag (ppm) | Pb (ppm) | Zn (ppm) |
|-------------|----------|--------|------------|----------|----------|----------|
| MS23-007 | 380.22 | 380.47 | 0.25 | 0.08 | 9.3 | 51 |
| MS23-008 | 4.89 | 5.18 | 0.29 | 17.45 | 3530 | 9560 |
| MS23-008 | 5.18 | 5.36 | 0.18 | 15.95 | 7450 | 9010 |
| MS23-008 | 5.36 | 6.12 | 0.76 | 17.40 | 2880 | 12800 |
| MS23-008 | 6.12 | 6.71 | 0.59 | 22.70 | 3950 | 21600 |
| MS23-008 | 6.71 | 7.25 | 0.54 | 28.70 | 4830 | 43100 |
| MS23-008 | 7.25 | 7.48 | 0.23 | 36.30 | 5380 | 24400 |
| MS23-008 | 7.48 | 8.23 | 0.75 | 56.70 | 4030 | 29800 |
| MS23-008 | 8.23 | 8.91 | 0.68 | 41.20 | 3020 | 44400 |
| MS23-008 | 8.91 | 9.35 | 0.44 | 12.05 | 1670 | 27400 |
| MS23-008 | 9.35 | 10.01 | 0.66 | 8.83 | 393 | 30000 |
| MS23-008 | 10.01 | 10.34 | 0.33 | 6.74 | 502 | 76300 |
| MS23-008 | 10.34 | 10.91 | 0.57 | 10.35 | 344 | 74200 |
| MS23-008 | 10.91 | 11.28 | 0.37 | 13.70 | 240 | 40500 |
| MS23-008 | 11.8 | 12.13 | 0.33 | 9.97 | 471 | 26700 |
| MS23-008 | 12.5 | 13.35 | 0.85 | 15.45 | 564 | 21300 |
| MS23-008 | 13.35 | 13.68 | 0.33 | 42.30 | 2580 | 110000 |
| MS23-008 | 13.68 | 14.02 | 0.34 | 90.90 | 5080 | 147000 |
| MS23-008 | 14.02 | 14.29 | 0.27 | 114.00 | 5550 | 134500 |
| MS23-008 | 14.29 | 14.93 | 0.64 | 439.00 | 53200 | 146000 |
| MS23-008 | 14.93 | 15.34 | 0.41 | 304.00 | 25000 | 67400 |
| MS23-008 | 15.34 | 15.64 | 0.3 | 65.40 | 8570 | 84000 |
| MS23-008 | 15.64 | 16 | 0.36 | 18.20 | 3010 | 26800 |
| MS23-008 | 16 | 16.54 | 0.54 | 34.90 | 4200 | 25900 |
| MS23-008 | 16.54 | 17.22 | 0.68 | 11.70 | 444 | 10550 |
| MS23-008 | 17.22 | 17.52 | 0.3 | 26.50 | 292 | 9240 |
| MS23-008 | 17.52 | 17.87 | 0.35 | 30.00 | 179.5 | 3580 |
| MS23-008 | 20.07 | 20.42 | 0.35 | 12.85 | 112.5 | 3620 |
| MS23-008 | 20.93 | 21.23 | 0.3 | 2.75 | 76.7 | 4590 |
| MS23-008 | 22.63 | 23.37 | 0.74 | 4.81 | 1095 | 16800 |
| MS23-008 | 23.37 | 23.78 | 0.41 | 4.36 | 346 | 19300 |
| MS23-008 | 24.81 | 24.99 | 0.18 | 0.26 | 14.1 | 466 |
| MS23-008 | 27.15 | 27.42 | 0.27 | 0.84 | 13.7 | 1180 |
| MS23-008 | 27.42 | 28.04 | 0.62 | 2.12 | 25.2 | 2240 |
| MS23-008 | 28.04 | 28.27 | 0.23 | 3.87 | 161 | 2640 |
| MS23-008 | 28.27 | 28.44 | 0.17 | 4.69 | 144 | 3100 |
| MS23-008 | 30.49 | 30.83 | 0.34 | 2.37 | 696 | 2460 |
| MS23-008 | 31.67 | 32.09 | 0.42 | 0.85 | 29.9 | 1010 |
| MS23-008 | 34.44 | 34.76 | 0.32 | 3.63 | 904 | 2370 |
| MS23-008 | 34.76 | 35.2 | 0.44 | 3.53 | 1580 | 3410 |

| Hole number | From (m) | To (m) | Length (m) | Ag (ppm) | Pb (ppm) | Zn (ppm) |
|-------------|----------|--------|------------|----------|----------|----------|
| MS23-008 | 36.59 | 36.73 | 0.14 | 0.55 | 47 | 477 |
| MS23-008 | 37.47 | 37.85 | 0.38 | 8.35 | 2550 | 5120 |
| MS23-008 | 37.85 | 38.47 | 0.62 | 9.28 | 8890 | 7760 |
| MS23-008 | 38.47 | 38.71 | 0.24 | 7.95 | 3520 | 4750 |
| MS23-008 | 38.71 | 38.86 | 0.15 | 5.97 | 5970 | 9760 |
| MS23-008 | 38.86 | 39.06 | 0.2 | 6.57 | 8050 | 12150 |
| MS23-008 | 39.06 | 39.28 | 0.22 | 6.24 | 11250 | 18350 |
| MS23-008 | 39.28 | 39.8 | 0.52 | 11.25 | 19500 | 18850 |
| MS23-008 | 39.8 | 39.98 | 0.18 | 118.00 | 25200 | 38400 |
| MS23-008 | 39.98 | 40.23 | 0.25 | 26.10 | 9600 | 39500 |
| MS23-008 | 40.23 | 40.53 | 0.3 | 15.50 | 4140 | 25700 |
| MS23-008 | 40.53 | 40.83 | 0.3 | 23.30 | 1690 | 25200 |
| MS23-008 | 40.83 | 41.23 | 0.4 | 22.20 | 2080 | 11450 |
| MS23-008 | 41.23 | 41.76 | 0.53 | 39.10 | 1530 | 5870 |
| MS23-008 | 41.76 | 42.32 | 0.56 | 83.40 | 4490 | 9670 |
| MS23-008 | 42.32 | 42.73 | 0.41 | 68.30 | 4950 | 5200 |
| MS23-008 | 42.73 | 42.94 | 0.21 | 60.60 | 15950 | 9390 |
| MS23-008 | 42.94 | 43.28 | 0.34 | 43.50 | 9620 | 7020 |
| MS23-008 | 43.28 | 43.69 | 0.41 | 17.70 | 16700 | 17800 |
| MS23-008 | 43.69 | 44.63 | 0.94 | 24.90 | 15000 | 137000 |
| MS23-008 | 44.63 | 45.32 | 0.69 | 17.40 | 10600 | 37200 |
| MS23-008 | 45.32 | 45.53 | 0.21 | 66.00 | 9600 | 33300 |
| MS23-008 | 45.53 | 45.73 | 0.2 | 21.20 | 7560 | 34000 |
| MS23-008 | 45.73 | 46.08 | 0.35 | 46.60 | 9500 | 11250 |
| MS23-008 | 46.08 | 46.37 | 0.29 | 102.00 | 30100 | 19350 |
| MS23-008 | 46.37 | 46.55 | 0.18 | 15.85 | 24000 | 32500 |
| MS23-008 | 46.55 | 46.88 | 0.33 | 391.00 | 20700 | 18800 |
| MS23-008 | 46.88 | 47.14 | 0.26 | 36.40 | 7980 | 17700 |
| MS23-008 | 47.14 | 47.41 | 0.27 | 217.00 | 6520 | 7240 |
| MS23-008 | 47.41 | 47.65 | 0.24 | 25.20 | 11700 | 15550 |
| MS23-008 | 47.65 | 48.08 | 0.43 | 34.50 | 3510 | 32300 |
| MS23-008 | 48.08 | 48.5 | 0.42 | 9.71 | 578 | 12350 |
| MS23-008 | 48.5 | 49.05 | 0.55 | 42.10 | 7460 | 31800 |
| MS23-008 | 49.05 | 49.38 | 0.33 | 33.60 | 10600 | 16400 |
| MS23-008 | 49.38 | 49.58 | 0.2 | 19.20 | 28200 | 16550 |
| MS23-008 | 49.58 | 49.95 | 0.37 | 38.10 | 27300 | 12500 |
| MS23-008 | 49.95 | 50.08 | 0.13 | 27.60 | 10050 | 8310 |
| MS23-008 | 50.08 | 50.5 | 0.42 | 15.25 | 11650 | 11200 |
| MS23-008 | 50.5 | 50.9 | 0.4 | 10.95 | 6440 | 11750 |
| MS23-008 | 50.9 | 51.19 | 0.29 | 9.27 | 6480 | 15000 |

| Hole number | From (m) | To (m) | Length (m) | Ag (ppm) | Pb (ppm) | Zn (ppm) |
|-------------|----------|--------|------------|----------|----------|----------|
| MS23-008 | 51.19 | 51.72 | 0.53 | 18.55 | 7830 | 13800 |
| MS23-008 | 51.72 | 52 | 0.28 | 22.00 | 4480 | 22500 |
| MS23-008 | 52 | 52.27 | 0.27 | 14.95 | 2970 | 32800 |
| MS23-008 | 52.27 | 52.43 | 0.16 | 22.90 | 4040 | 25500 |
| MS23-008 | 52.43 | 52.74 | 0.31 | 31.20 | 14350 | 22400 |
| MS23-008 | 52.74 | 53.19 | 0.45 | 21.00 | 9860 | 13800 |
| MS23-008 | 54.21 | 54.4 | 0.19 | 8.39 | 1885 | 5600 |
| MS23-008 | 54.4 | 54.71 | 0.31 | 9.74 | 463 | 3890 |
| MS23-008 | 54.71 | 55 | 0.29 | 11.15 | 1275 | 2950 |
| MS23-008 | 55 | 55.84 | 0.84 | 6.98 | 217 | 3900 |
| MS23-008 | 55.84 | 56.04 | 0.2 | 6.87 | 378 | 8640 |
| MS23-008 | 56.04 | 56.65 | 0.61 | 14.70 | 2350 | 21500 |
| MS23-008 | 56.65 | 56.85 | 0.2 | 28.00 | 1485 | 3830 |
| MS23-008 | 56.85 | 57.1 | 0.25 | 10.35 | 1140 | 5390 |
| MS23-008 | 57.1 | 57.49 | 0.39 | 9.65 | 3190 | 6160 |
| MS23-008 | 57.49 | 57.71 | 0.22 | 6.79 | 4700 | 7710 |
| MS23-008 | 58.04 | 58.37 | 0.33 | 5.40 | 945 | 4170 |
| MS23-008 | 59.11 | 59.6 | 0.49 | 5.34 | 1615 | 5730 |
| MS23-008 | 60.34 | 60.62 | 0.28 | 1.82 | 412 | 5210 |
| MS23-008 | 65.71 | 66 | 0.29 | 0.99 | 572 | 1625 |
| MS23-008 | 66 | 66.14 | 0.14 | 0.86 | 79.2 | 2340 |
| MS23-008 | 66.14 | 66.5 | 0.36 | 0.78 | 40.7 | 1305 |
| MS23-008 | 66.5 | 66.97 | 0.47 | 1.57 | 28.7 | 1335 |
| MS23-008 | 66.97 | 67.49 | 0.52 | 2.19 | 54.9 | 2390 |
| MS23-008 | 67.49 | 67.67 | 0.18 | 1.38 | 277 | 3120 |
| MS23-008 | 67.67 | 68.12 | 0.45 | 0.80 | 80.4 | 3430 |
| MS23-008 | 68.12 | 68.48 | 0.36 | 1.38 | 90.4 | 2350 |
| MS23-008 | 68.48 | 68.82 | 0.34 | 1.67 | 229 | 2500 |
| MS23-008 | 68.82 | 69.19 | 0.37 | 1.86 | 156 | 5600 |
| MS23-008 | 69.19 | 69.41 | 0.22 | 2.55 | 171.5 | 2750 |
| MS23-008 | 69.41 | 69.6 | 0.19 | 2.42 | 343 | 2720 |
| MS23-008 | 69.6 | 70.05 | 0.45 | 1.96 | 112 | 2860 |
| MS23-008 | 70.05 | 70.25 | 0.2 | 1.70 | 323 | 3500 |
| MS23-008 | 70.25 | 70.71 | 0.46 | 2.63 | 1345 | 3360 |
| MS23-008 | 70.71 | 71.03 | 0.32 | 2.14 | 1055 | 3380 |
| MS23-008 | 71.03 | 71.47 | 0.44 | 2.26 | 382 | 6730 |
| MS23-008 | 71.47 | 71.72 | 0.25 | 0.82 | 82.5 | 1830 |
| MS23-008 | 73.55 | 73.92 | 0.37 | 0.22 | 58.4 | 468 |
| MS23-008 | 74.87 | 75.29 | 0.42 | 0.63 | 96.5 | 1545 |
| MS23-008 | 75.29 | 75.86 | 0.57 | 0.61 | 128.5 | 792 |
| MS23-008 | 75.86 | 76.12 | 0.26 | 0.73 | 146.5 | 4380 |

QA/QC STATEMENT

Reyna Silver follows industry standard procedures for diamond core drilling and sample analysis. Drilling is carried out using PQ through NQ size tooling. The drill core is cut in half using a diamond rock saw, with one-half of the core then taken as a sample for analysis and the other kept as a register. Sample intervals are generally from 0.2 to 2 m intervals, producing samples of between 0.2 to 11 kg. Half-core samples are delivered to the internationally certified ALS Minerals laboratory facilities in the certified ALS Global facility in Elko, Nevada where the samples are prepared. ALS has a Quality management system (ISO 17025), and Assays are completed by ALS Minerals in Canada. Pulps were analyzed for precious, base-metals, and multi-elements using method code ME-MS41 following an aqua regia digestion. Overlimits are analyzed using an appropriate method. Multi-element geochemical standards and blanks or duplicates are inserted systematically into the drill core sampling series to monitor lab performance. Overlimit values for Ag, Pb, and Zn were analyzed using method codes Ag-OG46, Pb-OG46, and Zn-OG46. Multi-element geochemical standards and blanks or duplicates are inserted systematically into the drill core sampling series to monitor lab performance.

QUALIFIED PERSON

Dr. Peter Megaw, C.P.G., the Company's Chief Exploration Advisor and Qualified Person, reviewed the technical aspects of the exploration projects described herein and is responsible for the design and conduct of the exploration program and the verification and quality assurance of analytical results. Dr. Megaw is not independent as he and/or the companies with which he is affiliated hold Net Smelter Royalties on the Guigui and Batopilas Projects that predate Reyna Silver acquiring them.

ABOUT REYNA SILVER

Reyna Silver Corp. (TSXV: RSLV) is a growth-oriented junior exploration and development company focused on exploring for high-grade, district-scale silver deposits in Mexico and USA.

Reyna's principal properties are the Guigui and Batopilas Properties in Chihuahua, Mexico, plus Medicine Springs and Gryphon Summit in Nevada, USA. Guigui covers the interpreted source area for the Santa Eulalia District, and Batopilas covers most of Mexico's historically highest-grade silver system. The Company also has an option to acquire 100% of the Medicine Springs CRD project in Elko Co., Nevada, USA, and the 10,300-hectare combined Carlin-style and CRD Gryphon Summit Project in Eureka Co., Nevada, USA, as well as several early-stage properties in Mexico.

Cautionary Statements

This document contains “forward-looking statements” within the meaning of applicable Canadian securities regulations. All statements other than statements of historical fact herein, including, without limitation, statements regarding exploration results and plans, and our other future plans and objectives, are forward-looking statements that involve various risks and uncertainties. Such forward-looking statements include, without limitation, our estimates of exploration investment, the scope of our exploration programs, and our expectations of ongoing administrative costs. There can be no assurance that such statements will prove to be accurate, and future events and actual results could differ materially from those anticipated in such statements. Important factors that could cause actual results to differ materially from our expectations are disclosed in the Company’s documents filed from time to time via SEDAR with the Canadian regulatory agencies to whose policies we are bound. Forward-looking statements are based on the estimates and opinions of management on the date the statements are made, and we do not undertake any obligation to update forward-looking statements should conditions or our estimates or opinions change, except as required by law. Forward-looking statements are subject to risks, uncertainties and other factors, including risks associated with mineral exploration, price volatility in the mineral commodities we seek, and operational and political risks. Readers are cautioned not to place undue reliance on forward-looking statements.